

**AMBIENT AIR QUALITY TEST RESULTS**

M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44

Sub Division: Khliehriat; Dist: Jaintia Hills

Meghalaya

(June - 2016)

LOCATIONS ↓	Date of Sampling	PM 2.5 ($\mu\text{g}/\text{m}^3$)	PM 10 ($\mu\text{g}/\text{m}^3$)	NO₂ ($\mu\text{g}/\text{m}^3$)	SO₂ ($\mu\text{g}/\text{m}^3$)
LIMITS →	--	60 (24 hrs. Average)	100 (24 hrs. Average)	80 (24 hrs. Average)	80 (24 hrs. Average)
In- Front of Guest House	17.06.2016	27.8	58.3	ND	ND
Near Crusher Area	17.06.2016	46.2	78.4	9.6	ND
In- Front of Compressor House (Cement Mill)	18.06.2016	41.9	72.5	7.4	ND

Analysis Protocol: **IS 5182****ND:** Not Detected

Checked By: Pankaj Baroi; ENVIROCON

- NOTE:**
1. Results reported are valid at the time of and under the prevailing conditions of measurement.
 2. Results refer only to the particular parameters tested.
 3. This test report shall not be reproduced except in full without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi - 786171, Assam.



STACK EMISSION TEST RESULTS

M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44

Sub Division: Khliehriat; Dist: Jaintia Hills

Meghalaya

(JUNE- 2016)

01	Stack Emission Ref. No.	ENV/HCCL/01/June/2016
02	Date of Sampling	18.06.2016
03	Material of Construction	M.S.
04	Stack Attached To	B.F. of Crusher
05	Flue Gas Temperature (°C)	31
06	Exit Velocity of Gas (m/sec)	4.4
07	Flow Rate (Nm ³ /hr)	12,197
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm ³)	37.6



Checked By: Pankaj Baroi; ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.



STACK EMISSION TEST RESULTS

M/s HILLS CEMENT COMPANY LIMITED


Vill: Mynkree, 116 KM Stone, NH- 44

Sub Division: Khliehriat; Dist: Jaintia Hills

Meghalaya

(JUNE- 2016)

01	Stack Emission Ref. No.	ENV/HCCL/02/June/2016
02	Date of Sampling	18.06.2016
03	Material of Construction	M.S.
04	Stack Attached To	R.A.B.H
05	Flue Gas Temperature (°C)	184
06	Exit Velocity of Gas (m/sec)	12.7
07	Flow Rate (Nm ³ /hr)	2,10,763
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm ³)	30.7



Checked By: Pankaj Baroi; ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

**STACK EMISSION TEST RESULTS**

M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44

Sub Division: Khliehriat; Dist: Jaintia Hills

Meghalaya

(JUNE- 2016)

01	Stack Emission Ref. No.	ENV/HCCL/04/June/2016
02	Date of Sampling	17.06.2016
03	Material of Construction	M.S
04	Stack Attached To	Coal Mill
05	Flue Gas Temperature (°C)	62
06	Exit Velocity of Gas (m/sec)	8.1
07	Flow Rate (Nm ³ /hr)	29,341
08	Type of Fuel Used	Coal
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm ³)	36.2

Checked By: Pankaj Baroi; ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi - 786171, Assam.

**STACK EMISSION TEST RESULTS**

M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44

Sub Division: Khliehriat; Dist: Jaintia Hills

Meghalaya

(JUNE- 2016)

01	Stack Emission Ref. No.	ENV/HCCL/05/June/2016
02	Date of Sampling	17.06.2016
03	Material of Construction	M.S
04	Stack Attached To	Cooler E.S.P
05	Flue Gas Temperature (°C)	214
06	Exit Velocity of Gas (m/sec)	14.1
07	Flow Rate (Nm ³ /hr)	1,91,281
08	Type of Fuel Used	Coal
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm ³)	28.3

Checked By: Pankaj Baroi; ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.



STACK EMISSION TEST RESULTS

M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44

Sub Division: Khliehriat; Dist: Jaintia Hills

Meghalaya

(JUNE- 2016)

01	Stack Emission Ref. No.	ENV/HCCL/06/June/2016
02	Date of Sampling	17.06.2016
03	Material of Construction	M.S
04	Stack Attached To	Cement Mill
05	Flue Gas Temperature (°C)	59
06	Exit Velocity of Gas (m/sec)	7.8
07	Flow Rate (Nm ³ /hr)	28,509
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm ³)	35.3



Checked By: Pankaj Baroi; ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.



STACK EMISSION TEST RESULTS

M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44

Sub Division: Khliehriat; Dist: Jaintia Hills

Meghalaya

(JUNE- 2016)

01	Stack Emission Ref. No.	ENV/HCCL/03/June/2016
02	Date of Sampling	18.06.2016
03	Material of Construction	M.S
04	Stack Attached To	Cement Packing House
05	Flue Gas Temperature (°C)	36
06	Exit Velocity of Gas (m/sec)	5.9
07	Flow Rate (Nm ³ /hr)	10,298
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm ³)	36.7



Checked By: Pankaj Baroi; ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.



NOISE LEVEL MEASUREMENT RESULTS

M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44

Sub Division: Khliehriat; Dist: Jaintia Hills

Meghalaya

(JUNE- 2016)

Measurement Date: **17.06.2016**

(Day Time)

Sl. No.	Location	Maximum (dB-A)	Minimum (dB-A)	Leq (dB-A)
1	Near Kiln Area	76	73	75
2	Near CCR Building	68	62	67
3	Main Gate	71	66	70
4	Near Main Building	64	60	63

(Night Time)

Sl. No.	Location	Maximum (dB-A)	Minimum (dB-A)	Leq (dB-A)
1	Near Kiln Area	71	68	69
2	Near CCR Building	61	56	59
3	Main Gate	58	51	56
4	Near Main Building	54	47	51



Checked By: Pankaj Baroi; ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi - 786171, Assam.



AMBIENT NOISE LEVEL STANDARDS

SCHEDULE

[Rule 3(1) and 4(1) of Noise Pollution (Regulation & Control) Rules, 2000]

Area Code	Category of Area/ Zone	Limit in dB (A) in Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

NB:

Silence Zone is an area comprising an area not less than 100 m around Hospitals, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Specific SHE Standard: Workplace Noise

Ambient Noise Level	Personal Noise Exposure < 85 dB (A) Leq (8h)	Personal Noise Exposure => 85 dB (A) Leq (8h)
< 85 dB (A) Leq	No action required	PPE Mandatory
=> 85dB (A) Leq < 90 dB (A) Leq	Hearing protection zone. PPE Advisory.	Hearing protection zone. PPE Mandatory.
=> 90 dB (A) Leq	Hearing protection zone. PPE Mandatory.	Hearing protection zone. PPE Mandatory.
