



# **AMBIENT AIR QUALITY TEST RESULTS**

# M/s HILLS CEMENT COMPANY LIMITED Vill: Mynkree, 116 KM Stone, NH- 44

Sub Division: Khliehriat; Dist: Jaintia Hills

<u>Meghalaya</u>

(NOVEMBER - 2016)

LOCATIONS	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	NO <sub>2</sub> (μg/m³)	SO <sub>2</sub> (μg/m³)
LIMITS		<b>60</b> (24 hrs. Average)	<b>100</b> (24 hrs. Average)	<b>80</b> (24 hrs. Average)	<b>80</b> (24 hrs. Average)
In- Front of Guest House	17.11.2016	35.4	72.1	ND	ND
Near Crusher Area	17.11.2016	52.1	87.3	17.2	9.7
In- Front of Compressor House (Cement Mill)	18.11.2016	48.6	81.5	13.5	8.1

Analysis Protocol: IS 5182

Checked By: Pankaj Baroi; ENVIROCON

NOTE:

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





# M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(NOVEMBER-2016)

01	Stack Emission Ref. No.	ENV/HCCL/01/NOV/2016
02	Date of Sampling	17.11.2016
03	Material of Construction	M.S.
04	Stack Attached To	B.F. of Crusher
05	Flue Gas Temperature (°C)	34
06	Exit Velocity of Gas (m/sec)	4.6
07	Flow Rate (Nm³/hr)	12,627
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	37.2



 $<sup>1. \</sup> Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$ 

 $<sup>2. \</sup> Results \ refer \ only \ to \ the \ particular \ parameters \ tested.$ 

<sup>3.</sup> This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi - 786171, Assam.





#### M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(NOVEMBER-2016)

01	Stack Emission Ref. No.	ENV/HCCL/02/NOV/2016
02	Date of Sampling	17.11.2016
03	Material of Construction	M.S.
04	Stack Attached To	R.A.B.H
05	Flue Gas Temperature (°C)	182
06	Exit Velocity of Gas (m/sec)	13.5
07	Flow Rate (Nm <sup>3</sup> /hr)	2,25,025
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	32.7



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





# M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(NOVEMBER-2016)

01	Stack Emission Ref. No.	ENV/HCCL/03/NOV/2016
02	Date of Sampling	17.11.2016
03	Material of Construction	M.S
04	Stack Attached To	Coal Mill
05	Flue Gas Temperature (°C)	61
06	Exit Velocity of Gas (m/sec)	8.4
07	Flow Rate (Nm³/hr)	30,518
08	Type of Fuel Used	Coal
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	37.1



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





# M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(NOVEMBER-2016)

01	Stack Emission Ref. No.	ENV/HCCL/04/NOV/2016
02	Date of Sampling	18.11.2016
03	Material of Construction	M.S
04	Stack Attached To	Cooler E.S.P
05	Flue Gas Temperature (°C)	198
06	Exit Velocity of Gas (m/sec)	14.8
07	Flow Rate (Nm <sup>3</sup> /hr)	2,07,597
08	Type of Fuel Used	Coal
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	29.3



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





# M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills

<u>Meghalaya</u>

(NOVEMBER-2016)

01	Stack Emission Ref. No.	ENV/HCCL/05/NOV/2016
02	Date of Sampling	18.11.2016
03	Material of Construction	M.S
04	Stack Attached To	Cement Mill
05	Flue Gas Temperature (°C)	59
06	Exit Velocity of Gas (m/sec)	8.2
07	Flow Rate (Nm³/hr)	29,971
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	34.8



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.$





#### M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(NOVEMBER-2016)

01	Stack Emission Ref. No.	ENV/HCCL/06/NOV/2016
02	Date of Sampling	18.11.2016
03	Material of Construction	M.S
04	Stack Attached To	Cement Packing House
05	Flue Gas Temperature (°C)	33
06	Exit Velocity of Gas (m/sec)	5.9
07	Flow Rate (Nm <sup>3</sup> /hr)	10,399
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	37.2



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





# **NOISE LEVEL MEASUREMENT RESULTS**

#### M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(NOVEMBER-2016)

Measurement Date: 17.11.2016

(Day Time)

Sl. No.	Location	Maximum (dB-A)	Minimum (dB-A)	L <sub>eq</sub> (dB-A)
1	Near Kiln Area	75	70	72
2	Near CCR Building	74	65	70
3	Main Gate	72	66	69
4	Near Main Building	66	60	64

#### (Night Time)

Sl. No.	Location	Maximum (dB-A)	Minimum (dB-A)	L <sub>eq</sub> (dB-A)
1	Near Kiln Area	69	62	65
2	Near CCR Building	57	52	54
3	Main Gate	62	56	57
4	Near Main Building	58	50	55



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- $2. \ Results \ refer \ only \ to \ the \ particular \ parameters \ tested.$
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





# **AMBIENT NOISE LEVEL STANDARDS**

#### **SCHEDULE**

[Rule 3(1) and 4(1) of Noise Pollution (Regulation & Control) Rules, 2000]

Area Code	Category of Area/Zone	Limit in dB (A) in L <sub>eq</sub>		
		Day Time	Night Time	
A	Industrial Area	75	70	
В	Commercial Area	65	55	
С	Residential Area	55	45	
D	Silence Zone	50	40	

#### <u>NB</u>:

Silence Zone is an area comprising an area not less than 100 m around Hospitals, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

# Specific SHE Standard: Workplace Noise

Ambient Noise Level	Personal Noise Exposure < 85 dB (A) Leq (8h)	Personal Noise Exposure => 85 dB (A) Leq (8h)
< 85 dB (A) Leq	No action required	PPE Mandatory
=> 85dB (A) Leq < 90 dB (A) Leq	Hearing protection zone. PPE Advisory.	Hearing protection zone. PPE Mandatory.
=> 90 dB (A) Leq	Hearing protection zone. PPE Mandatory.	Hearing protection zone. PPE Mandatory.

\*\*\*\*\*