

Report No.: ENV/HCCL/AAQ/Aug/17-18/01

Date : 28/08/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

SL. No.	Location(s) ↓	Date of Sampling	PM 2.5 ($\mu\text{g}/\text{m}^3$)	PM 10 ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)
	Limit(s) →		60 (24 Hrs. Av.)	100 (24 Hrs. Av.)	80 (24 Hrs. Av.)	80 (24 Hrs. Av.)
1.	In-front of Guest House	07.08.2017	18.5	45.1	ND	ND
2.	Near Crusher Area	08.08.2017	47.3	83.7	6.9	ND
3.	In- Front of Compressor House (Cement Mill)	08.08.2017	31.4	63.4	7.6	ND

ND: Not Detected

Analysis Protocol: **IS 5182**

Sampled & Analysed by: ENVIROCON, Digboi



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Report No.: ENV/HCCL/SE/Aug/17-18/01

Date : 28/08/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Aug/17-18/01		
02	Date of Sampling	07.08.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	B. F. of Crusher		
05	Stack Diameter (Meter)	1.0		
06	Flue Gas Temperature (°C)	34		
07	Exit Velocity of Gas (m/sec)	4.6		
08	Flow Rate (Nm ³ /hr)	12,627		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	29.1	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/Aug/17-18/02

Date : 28/08/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Aug/17-18/02		
02	Date of Sampling	07.08.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	R.A.B.H.		
05	Stack Diameter (Meter)	3.0		
06	Flue Gas Temperature (°C)	181		
07	Exit Velocity of Gas (m/sec)	11.6		
08	Flow Rate (Nm ³ /hr)	1,93,780		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	26.4	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/Aug/17-18/03

Date : 28/08/2017

M/s HILLS CEMENT COMPANY LIMITED


Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Aug/17-18/03		
02	Date of Sampling	07.08.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Coal Mill		
05	Stack Diameter (Meter)	1.2		
06	Flue Gas Temperature (°C)	59		
07	Exit Velocity of Gas (m/sec)	8.4		
08	Flow Rate (Nm ³ /hr)	30,702		
09	Type of Fuel Used	Coal		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	27.5	mg/Nm ³	30



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No. : ENV/HCCL/SE/Aug/17-18/04

Date : 28/08/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Aug/17-18/04		
02	Date of Sampling	08.08.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Cooler E.S.P.		
05	Stack Diameter (Meter)	2.8		
06	Flue Gas Temperature (°C)	196		
07	Exit Velocity of Gas (m/sec)	12.6		
08	Flow Rate (Nm ³ /hr)	1,77,492		
09	Type of Fuel Used	Coal		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	24.9	mg/Nm ³	30



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/Aug/17-18/05

Date : 28/08/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Aug/17-18/05		
02	Date of Sampling	08.08.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Cement Mill		
05	Stack Diameter (Meter)	1.2		
06	Flue Gas Temperature (°C)	58		
07	Exit Velocity of Gas (m/sec)	8.7		
08	Flow Rate (Nm ³ /hr)	31,895		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	28.6	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Report No. : ENV/HCCL/SE/Aug/17-18/06

Date : 28/08/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Aug/17-18/06		
02	Date of Sampling	08.08.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Packing House		
05	Stack Diameter (Meter)	0.8		
06	Flue Gas Temperature (°C)	37		
07	Exit Velocity of Gas (m/sec)	9.2		
08	Flow Rate (Nm ³ /hr)	16,006		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	28.4	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/NLM/Aug/17-18/01

Date : 28/08/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

NOISE LEVEL MEASUREMENT RESULTS

Measurement Date: 07.08.2017

Sl. No.	Locations	Day Time				Night Time			
		Max. (dB-A)	Min. (dB-A)	L _{eq} (dB-A)	Limit (dB-A)	Max. (dB-A)	Min. (dB-A)	L _{eq} (dB-A)	Limit (dB-A)
1	Near Kiln Area	72	68	70	75	69	65	68	70
2	Near CCR Building	65	58	62	75	58	49	54	70
3	Main Gate	59	54	57	75	43	35	39	70
4	Near Main Building	61	56	58	75	49	42	45	70



Pankaj Baroi
 Digboi Assam
 Recognized by PCB, Assam & MSPCB, Meghalaya

Checked By: Pankaj Baroi, ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.