

1.



Date: 24.08.2024

# HCCL/MSPCB/24-25/005

To. The Member Secretary, Meghalaya State Pollution Control Board, ARDEN Lumpyngngad, Shillong (Meghalaya) -793014

Subject: Monthly monitoring reports of Ambient Air Quality, Stack Emission, Waste Water Analysis (STP) & Noise Level Measurement for the month of July, 2024.

Please find enclosed herewith to this letter the reports for the month of July, 2024 for the following test results:

| Sr. No. Environmental<br>Monitoring |                   | Parameters                  | Frequency |
|-------------------------------------|-------------------|-----------------------------|-----------|
| 1                                   | Ambient Air       | PM-10, PM-2.5,<br>SO2 & NO2 | Monthly   |
| 2                                   | Stack             | PM, SO2 & NO2               | Monthly   |
|                                     | Fugitive Emission | SPM                         | Monthly   |
| 3 4                                 | Noise             | Leq in dB(A) Day &<br>Night | Monthly   |
| 5                                   | Waste water       | As per CTO 10<br>parameters | Monthly   |
| 6                                   | Surface water     | 25 Parameters               | Monthly   |

Thanking you, For Hills Cement Company Ltd

Deepar lande

Authorised Signatory

POIL

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate Change NE Regional Office, Lumbatngen, Shillong 793021 for information.

(2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ,

Shillong-793014.

### HILLS CEMENT COMPANY LIMITED

CORPORATE OFFICE: "SHIVAM COMPLEX", Bharalumukh, A.T. Road, Guwahati, Assam, PIN-781009 | Ph.: (0361) 4083974 | E: hr@hccl.in | Info@hccl.in REGISTERED OFFICE & WORKS: Village Mynkree, 116KM Stone (NH44), Sub Div: Khliehriat, Dist: Jaintia Hills, Meghalaya, Pin-793200



Report No.: ENV/HCCL/24-25/AA-07/01 :06/08/2024 Date

#### Order No.: HCCL/WO/24-25/04/24 Date :23/04/2024

#### **Report Issued To :** HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

| AMBIENT AIR QUALITY TEST RESULTS |                   |                     |                                    |                                   |                                     |                                     |
|----------------------------------|-------------------|---------------------|------------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|
| Sl. No.                          | LOCATION(S)↓      | Date of<br>Sampling | <b>PM 2.5</b> (μg/m <sup>3</sup> ) | <b>PM 10</b> (μg/m <sup>3</sup> ) | <b>SO</b> 2<br>(μg/m <sup>3</sup> ) | <b>NO</b> 2<br>(μg/m <sup>3</sup> ) |
|                                  | LIMIT(S) →        |                     | 60                                 | 100                               | 80                                  | 80                                  |
| 01                               | Near Cement Mill  | 13.07.2024          | 26.8                               | 51.3                              | 7.3                                 | 7.9                                 |
| 02                               | Near Crusher Area | 13.07.2024          | 25.7                               | 49.7                              | 7.1                                 | 7.5                                 |
| 03                               | Near View Point   | 12.07.2024          | 22.5                               | 46.2                              | 6.8                                 | 7.3                                 |
| 04                               | Worker Colony     | 12.07.2024          | 20.9                               | 40.1                              | <5.0                                | <6.0                                |
| 05                               | Mynkree Village   | 12.07.2024          | 17.4                               | 39.2                              | <5.0                                | <6.0                                |

## AMRIENT AID OUALITY TEST DESULTS

Analysis Protocol: IS 5182



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi – 786171, Assam.



Report No.: ENV/HCCL/24-25/N-07/01

**Pollution Control Board, Assam** 

Date : 06/08/2024

Order No.: HCCL/WO/24-25/04/24 Date : 23/04/2024

#### Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### NOISE LEVEL MEASUREMENT RESULTS

| Sl. No. |                   | Date<br>Of<br>Measurement | Day Time                  |                 | Night Time                |                 |
|---------|-------------------|---------------------------|---------------------------|-----------------|---------------------------|-----------------|
|         | Location(s)       |                           | L <sub>eq</sub><br>(dB-A) | Limit<br>(dB-A) | L <sub>eq</sub><br>(dB-A) | Limit<br>(dB-A) |
| 1       | Near Cement Mill  | 13.07.2024                | 68.7                      | 75              | 64.2                      | 70              |
| 2       | Near Crusher Area | 13.07.2024                | 69.7                      | 75              | 65.6                      | 70              |
| 3       | Near View Point   | 12.07.2024                | 51.8                      | 75              | 47.8                      | 70              |
| 4       | Worker Colony     | 12.07.2024                | 50.1                      | 75              | 44.4                      | 70              |
| 5       | Mynkree Village   | 12.07.2024                | 45.5                      | 70              | 39.7                      | 55              |



Checked By: Mr. Pankaj Baroi, ENVIROCON

 NOTE:
 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

 2. Results refer only to the particular parameters tested.
 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.



Report No.: ENV/HCCL/24-25/SE-07/02 Date : 06/08/2024 Order No.: HCCL/WO/24-25/04/24 Date : 23/04/2024

#### Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### STACK EMISSION TEST RESULTS

| 01      | Test Ref. No.                            | HCCL/2024/SE-07/02          |                    |     |  |
|---------|--|-----------------------------|--------------------|-----|--|
| 02      | Date of Sampling                         |                             | 12.07.2024         |     |  |
| 03      | Material of Construction                 |                             | M. S.              |     |  |
| 04      | Stack Attached To                        |                             | R.A.B.H.           |     |  |
| 05      | Stack Diameter (Meter)                   | 3.0                         |                    |     |  |
| 06      | Flue Gas Temperature (ºC)                | 174                         |                    |     |  |
| 07      | Exit Velocity of Gas (m/sec)             | 14.9                        |                    |     |  |
| 08      | Flow Rate (Nm <sup>3</sup> /hr)          | 252805                      |                    |     |  |
| 09      | Type of Fuel Used                        | NA*                         |                    |     |  |
|         | Analysis Resul                           | ts of Flue Gas              |                    |     |  |
| Sl. No. | Parameter(s)                             | Result(s) Unit(s) Limit(s)  |                    |     |  |
| i.      | Particulate Matter                       | 24 mg/Nm <sup>3</sup> 30    |                    |     |  |
| ii.     | Sulphur Dioxide (as SO <sub>2</sub> )    | 640 mg/Nm <sup>3</sup> 1000 |                    |     |  |
| iii.    | Oxides of Nitrogen (as NO <sub>x</sub> ) | 286                         | mg/Nm <sup>3</sup> | 800 |  |

\*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi – 786171, Assam.



Report No.: ENV/HCCL/24-25/SE-07/01 Date : 06/08/2024 Order No.: HCCL/WO/24-25/04/24 Date : 23/04/2024

#### Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### STACK EMISSION TEST RESULTS

| 01      | Test Ref. No.                            | HCCL/2024/SE-07/01          |                    |     |  |
|---------|--|-----------------------------|--------------------|-----|--|
| 02      | Date of Sampling                         |                             | 12.07.2024         |     |  |
| 03      | Material of Construction                 |                             | M. S.              |     |  |
| 04      | Stack Attached To                        |                             | Coal Mill          |     |  |
| 05      | Stack Diameter (Meter)                   | 1.2                         |                    |     |  |
| 06      | Flue Gas Temperature (ºC)                | 75                          |                    |     |  |
| 07      | Exit Velocity of Gas (m/sec)             | 19.2                        |                    |     |  |
| 08      | Flow Rate (Nm <sup>3</sup> /hr)          | 66950                       |                    |     |  |
| 09      | Type of Fuel Used                        | Coal                        |                    |     |  |
|         | Analysis Resul                           | lts of Flue Gas             |                    |     |  |
| Sl. No. | Parameter(s)                             | Result(s) Unit(s) Limit(s)  |                    |     |  |
| i.      | Particulate Matter                       | 21 mg/Nm <sup>3</sup> 30    |                    |     |  |
| ii.     | Sulphur Dioxide (as SO <sub>2</sub> )    | 389 mg/Nm <sup>3</sup> 1000 |                    |     |  |
| iii.    | Oxides of Nitrogen (as NO <sub>x</sub> ) | 152                         | mg/Nm <sup>3</sup> | 800 |  |



Checked By: Mr. Pankaj Baroi, ENVIROCON

 NOTE:
 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

 2. Results refer only to the particular parameters tested.

 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi – 786171, Assam.



Report No.: ENV/HCCL/24-25/SE-07/03 Date : 06/08/2024 Order No.: HCCL/WO/24-25/04/24 Date : 23/04/2024

#### Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### STACK EMISSION TEST RESULTS

| 01      | Test Ref. No.                            | HCCL/2024/SE-07/03           |                    |     |  |
|---------|--|------------------------------|--------------------|-----|--|
| 02      | Date of Sampling                         |                              | 13.07.2024         |     |  |
| 03      | Material of Construction                 |                              | M. S.              |     |  |
| 04      | Stack Attached To                        |                              | Cooler E.S.P.      |     |  |
| 05      | Stack Diameter (Meter)                   | 2.8                          |                    |     |  |
| 06      | Flue Gas Temperature (ºC)                | 243                          |                    |     |  |
| 07      | Exit Velocity of Gas (m/sec)             | 11.7                         |                    |     |  |
| 08      | Flow Rate (Nm <sup>3</sup> /hr)          | 149802                       |                    |     |  |
| 09      | Type of Fuel Used                        | NA*                          |                    |     |  |
|         | Analysis Resul                           | ts of Flue Gas               |                    |     |  |
| Sl. No. | Parameter(s)                             | Result(s) Unit(s) Limit(s)   |                    |     |  |
| i.      | Particulate Matter                       | 25 mg/Nm <sup>3</sup> 30     |                    |     |  |
| ii.     | Sulphur Dioxide (as SO <sub>2</sub> )    | BDL# mg/Nm <sup>3</sup> 1000 |                    |     |  |
| iii.    | Oxides of Nitrogen (as NO <sub>x</sub> ) | BDL#                         | mg/Nm <sup>3</sup> | 800 |  |

\*NA: Not Applicable

**#BDL: Below Detectable Limit** 



Checked By: Mr. Pankaj Baroi, ENVIROCON

 NOTE:
 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

 2. Results refer only to the particular parameters tested.

 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi – 786171, Assam.



Report No.: ENV/HCCL/24-25/SE-07/04 Date : 06/08/2024

#### Order No.: HCCL/WO/24-25/04/24 Date : 23/04/2024

#### Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### STACK EMISSION TEST RESULTS

| 01      | Test Ref. No.                            | HCCL/2024/SE-07/04           |                    |     |  |
|---------|--|------------------------------|--------------------|-----|--|
| 02      | Date of Sampling                         |                              | 13.07.2024         |     |  |
| 03      | Material of Construction                 |                              | M. S.              |     |  |
| 04      | Stack Attached To                        |                              | Cement Mill        |     |  |
| 05      | Stack Diameter (Meter)                   | 1.2                          |                    |     |  |
| 06      | Flue Gas Temperature (ºC)                | 75                           |                    |     |  |
| 07      | Exit Velocity of Gas (m/sec)             | 8.3                          |                    |     |  |
| 08      | Flow Rate (Nm <sup>3</sup> /hr)          | 28942                        |                    |     |  |
| 09      | Type of Fuel Used                        | NA*                          |                    |     |  |
|         | Analysis Resul                           | ts of Flue Gas               |                    |     |  |
| Sl. No. | Parameter(s)                             | Result(s) Unit(s) Limit(s)   |                    |     |  |
| i.      | Particulate Matter                       | 20 mg/Nm <sup>3</sup> 30     |                    |     |  |
| ii.     | Sulphur Dioxide (as SO <sub>2</sub> )    | BDL# mg/Nm <sup>3</sup> 1000 |                    |     |  |
| iii.    | Oxides of Nitrogen (as NO <sub>x</sub> ) | BDL#                         | mg/Nm <sup>3</sup> | 800 |  |

\*NA: Not Applicable

**#BDL: Below Detectable Limit** 



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi – 786171, Assam.



Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

Report No.: ENV/HCCL/24-25/WW-07/01 Date : 06/08/2024 Order No.: HCCL/WO/24-25/04/24 Date : 23/04/2024

#### Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### WASTE WATER ANALYSIS RESULTS

| Sample Ref. No.     | : HCCL/2024/WW-1307/01             |
|---------------------|------------------------------------|
| Sample Type/Source  | : Waste Water (Treated)/STP Outlet |
| Sample Collected By | : Representative of ENVIROCON      |
| Sample Collected On | : 13.07.2024                       |
| Sample Received On  | : 17.07.2024                       |
| Analysis Protocol   | : IS 3025                          |
|                     |                                    |

| Sl. No. | Parameter(s)                     | Unit(s)        | Result(s) | Limit<br>(As Per CPCB Standards)                              |
|---------|----------------------------------|----------------|-----------|---|
| 1.      | рН                               |                | 6.75      | 5.5 – 9.0   |
| 2.      | Temperature                      | <sup>0</sup> C | 24.4      | shall not exceed 5°C above the<br>receiving water temperature |
| 3.      | Total Suspended Solids           | mg/l           | 37        | 100   |
| 4.      | Biochemical Oxygen Demand        | mg/l           | 23        | 30  |
| 5.      | Chemical Oxygen Demand           | mg/l           | 95        | 250   |
| 6.      | Oil & Grease                     | mg/l           | <4.0      | 10  |
| 7.      | Total Residual Chlorine          | mg/l           | <0.01     | 1.0   |
| 8.      | Ammonical Nitrogen (as N)        | mg/l           | 5.4       | 50  |
| 9.      | Total Kjeldahl Nitrogen (as NH3) | mg/l           | 12.8      | 100   |
| 10.     | Free Ammonia (as NH3)            | mg/l           | <0.01     | 5.0   |



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi – 786171, Assam.



Report No.: ENV/HCCL/24-25/FE-07/01 Date : 06/08/2024 Order No.: HCCL/WO/24-25/04/24 Date : 23/04/2024

### Report Issued To : HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

## PROCESS FUGITIVE EMISSION TEST RESULTS

| Date       | Locations                  | Fugitive Emission Results for SPM $(\mu g/m^3)$ | Limits<br>(µg/m³) |
|------------|----------------------------|---|-------------------|
| 12.07.2024 | Coal Storage Section       | 479   | 2000              |
| 12.07.2024 | Lime Stone Storage Section | 1531  | 5000              |
| 13.07.2024 | Fly-ash Storage Section    | 1953  | 5000              |
| 13.07.2024 | Cement Packing Section     | 2122  | 5000              |



Checked By: Mr. Pankaj Baroi, ENVIROCON

 NOTE:
 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

 2. Results refer only to the particular parameters tested.

 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi – 786171, Assam.



Report No.: ENV/HCCL/24-25/SW-07/01 Date : 06/08/2024

**Pollution Control Board, Assam** 

Order No.: 4700029887 Date : 26/03/2024

#### Report Issued To : M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

|                | SURFACE  | WATER ANALYSIS            | <u>RESULTS</u>                         |   |  |
|----------------|--|---------------------------|--|---|--|
| Sample Ref. No | o.:HCCL/2024/SW-1307/01 Sample                     | e Source : Drain Upstream | Sample Type :                          | Surface Water   |  |
| Collected On   | : 13-07-2024 Receiv                                | red On : 17-07-2024       | Collected By : Envirocon Representativ |   |  |
| Sl. No.        | Parameters   | Results                   | Acceptable Limit*                      | Permissible Limit*<br>in the Absence of<br>Alternate Source |  |
| 1.             | Colour, Hazen Units, Max.                          | 14                        | 5                                      | 15  |  |
| 2.             | Odour  | Agreeable                 | Agreeable                              | Agreeable   |  |
| 3.             | Temperature  | 24.5                      |  |   |  |
| 4.             | pH Value   | 6.65                      | 6.5 - 8.5                              | No Relaxation   |  |
| 5.             | Suspended Solids                                   | 43                        |  |   |  |
| 6.             | Total Dissolved Solids, mg/l, Max.                 | 138                       | 500                                    | 2000  |  |
| 7.             | Conductivity, µS/cm                                | 193                       |  |   |  |
| 8.             | Dissolved Oxygen, mg/l, Min.                       | 6.7                       |  |   |  |
| 9.             | Biochemical Oxygen Demand, mg/l, Max.              | <1                        |  |   |  |
| 10.            | Chemical Oxygen Demand, mg/l, Max.                 | 30                        |  |   |  |
| 11.            | Oil and Grease, mg/l, Max.                         | <4.0                      |  |   |  |
| 12.            | Residual Chlorine, mg/l, Min.                      | <0.01                     | 0.2                                    | 1   |  |
| 13.            | Total Hardness (as CaCO <sub>3</sub> ), mg/l, Max. | 8.9                       | 200                                    | 600   |  |
| 14.            | Calcium (as Ca), mg/l, Max.                        | 19                        | 75                                     | 200   |  |
| 15.            | Magnesium (as Mg), mg/l, Max.                      | 7                         | 30                                     | 100   |  |
| 16.            | Iron (as Fe), mg/l, Max.                           | <0.001                    | 0.3                                    | No Relaxation   |  |
| 17.            | Total Chromium, (as Cr), mg/l, Max                 | < 0.001                   | 0.05                                   | No Relaxation   |  |
| 18.            | Ammonical Nitrogen (as N), mg/l, Max.              | 1.8                       |  |   |  |
| 19.            | Total Kjeldahl Nitrogen (as NH3), mg/l, Max.       | 5.7                       |  |   |  |
| 20.            | Free Ammonia (as NH₃), mg/l, Max.                  | <0.01                     |  |   |  |

\*Limits as per IS 10500:2012

Analysis Protocol: IS 3025

Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi – 786171, Assam.



Recognised ByP.O.: Digboi, Dist.: Tinsukia, Assam - 786 171Pollution Control Board, AssamPh: 03751-264414, 9435008657, 8876028672E-mail: envirocon@rediffmail.com

Envirocon Building, I.O.C.L (AOD) New Market

Report No.: ENV/MCL/24-25/SW-07/02 Date : 06/08/2024 Order No.: 4700029887 Date : 26/03/2024

#### Report Issued To : M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

#### SURFACE WATER ANALYSIS RESULTS Sample Ref. No. : HCCL/2024/SW-1307/02 Sample Source : Drain Downstream Sample Type : Surface Water Collected On : 13-07-2024 Received On : 17-07-2024 Collected By : Envirocon Representative Permissible Limit\* Sl. No. Parameters Results Acceptable Limit\* in the Absence of **Alternate Source** 1. Colour, Hazen Units, Max. 16 5 15 2. Odour Agreeable Agreeable Agreeable 3. Temperature 25.4 ----pH Value 6.5 - 8.5 4. 6.61 No Relaxation 5. Suspended Solids 69 Total Dissolved Solids, mg/l, Max. 168 500 2000 6. 7. Conductivity, µS/cm 199 -----8. Dissolved Oxygen, mg/l, Min. 6.9 ------9 Biochemical Oxygen Demand, mg/l, Max. ---<1 --10. Chemical Oxygen Demand, mg/l, Max. 41 --<4.0 11. Oil and Grease, mg/l, Max. ----12 Residual Chlorine, mg/l, Min. < 0.01 0.2 1 13. Total Hardness (as CaCO<sub>3</sub>), mg/l, Max. 9.2 200 600 75 200 14. Calcium (as Ca), mg/l, Max. 24 15. Magnesium (as Mg), mg/l, Max. 30 100 6 16 Iron (as Fe), mg/l, Max. < 0.001 0.3 No Relaxation 17. Total Chromium, (as Cr), mg/l, Max < 0.001 0.05 No Relaxation 18. Ammonical Nitrogen (as N), mg/l, Max. 2.7 -----19 Total Kjeldahl Nitrogen (as NH<sub>3</sub>), mg/l, Max. 6.9 -----20. Free Ammonia (as NH3), mg/l, Max. < 0.01 -----

\*Limits as per IS 10500:2012

Analysis Protocol: IS 3025



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.