

Report No.: ENV/HCCL/AAQ/May/17-18/01

Date : 29/05/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

SL. No.	Location(s) ↓	Date of Sampling	PM 2.5 ($\mu\text{g}/\text{m}^3$)	PM 10 ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)
	Limit(s) →		60 (24 Hrs. Av.)	100 (24 Hrs. Av.)	80 (24 Hrs. Av.)	80 (24 Hrs. Av.)
1.	In-front of Guest House	15.05.2017	21.6	45.3	ND	ND
2.	Near Crusher Area	15.05.2017	49.3	86.9	7.2	ND
3.	In- Front of Compressor House (Cement Mill)	16.05.2017	35.2	62.4	9.3	5.4

ND: Not Detected

Analysis Protocol: **IS 5182**

Sampled & Analysed by: ENVIROCON, Digboi



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Report No. : ENV/HCCL/SE/May/17-18/01

Date : 29/05/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/May/17-18/01		
02	Date of Sampling	15.05.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	B. F. of Crusher		
05	Stack Diameter (Meter)	1.0		
06	Flue Gas Temperature (°C)	29		
07	Exit Velocity of Gas (m/sec)	4.5		
08	Flow Rate (Nm ³ /hr)	12,557		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	29.1	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/May/17-18/02

Date : 29/05/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/May/17-18/02		
02	Date of Sampling	15.05.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	R.A.B.H.		
05	Stack Diameter (Meter)	3.0		
06	Flue Gas Temperature (°C)	187		
07	Exit Velocity of Gas (m/sec)	12.8		
08	Flow Rate (Nm ³ /hr)	2,11,037		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	27.6	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/May/17-18/03

Date : 29/05/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/May/17-18/03		
02	Date of Sampling	15.05.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Coal Mill		
05	Stack Diameter (Meter)	1.2		
06	Flue Gas Temperature (°C)	59		
07	Exit Velocity of Gas (m/sec)	9.6		
08	Flow Rate (Nm ³ /hr)	35,088		
09	Type of Fuel Used	Coal		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	29.3	mg/Nm ³	30



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/May/17-18/04

Date : 29/05/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/May/17-18/04		
02	Date of Sampling	15.05.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Cooler E.S.P.		
05	Stack Diameter (Meter)	2.8		
06	Flue Gas Temperature (°C)	208		
07	Exit Velocity of Gas (m/sec)	13.5		
08	Flow Rate (Nm ³ /hr)	1,85,426		
09	Type of Fuel Used	Coal		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	26.5	mg/Nm ³	30



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/May/17-18/05

Date : 29/05/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/May/17-18/05		
02	Date of Sampling	16.05.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Cement Mill		
05	Stack Diameter (Meter)	1.2		
06	Flue Gas Temperature (°C)	62		
07	Exit Velocity of Gas (m/sec)	9.2		
08	Flow Rate (Nm ³ /hr)	33,325		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	29.2	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/May/17-18/06

Date : 29/05/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/May/17-18/06		
02	Date of Sampling	16.05.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Packing House		
05	Stack Diameter (Meter)	0.8		
06	Flue Gas Temperature (°C)	39		
07	Exit Velocity of Gas (m/sec)	7.6		
08	Flow Rate (Nm ³ /hr)	13,137		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	28.3	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/NLM/May/17-18/01

Date : 29/05/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

NOISE LEVEL MEASUREMENT RESULTS

Measurement Date: 15.05.2017

Sl. No.	Locations	Day Time				Night Time			
		Max. (dB-A)	Min. (dB-A)	L _{eq} (dB-A)	Limit (dB-A)	Max. (dB-A)	Min. (dB-A)	L _{eq} (dB-A)	Limit (dB-A)
1	Near Kiln Area	75	71	72	75	68	64	66	70
2	Near CCR Building	68	64	67	75	61	56	58	70
3	Main Gate	62	56	60	75	52	36	44	70
4	Near Main Building	61	55	59	75	56	48	52	70

Pankaj Baroi


Checked By: Pankaj Baroi, ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.