

Report No. : ENV/HCCL/AAQ/JUN/19-20/01
 Date : 29/06/2019

W. O. No. : Nil
 Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44
 Sub Division: Khliehriat, Dist.: Jaintia Hills
Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

SL. No.	Location(s) ↓	Date of Sampling	PM 2.5 ($\mu\text{g}/\text{m}^3$)	PM 10 ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)
	Limit(s) →		60 (24 Hrs. Av.)	100 (24 Hrs. Av.)	80 (24 Hrs. Av.)	80 (24 Hrs. Av.)
1.	In-front of Guest House	19.06.2019	13.2	31.9	BDL	BDL
2.	Near Crusher Area	19.06.2019	25.8	55.8	5.3	BDL
3.	In- Front of Compressor House (Cement Mill)	20.06.2019	19.2	49.6	7.6	BDL
4.	Near ETP	20.06.2019	17.4	45.8	6.2	BDL

Analysis Protocol: IS 5182

BDL: Below Detectable Level



Checked By: Mr. Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No. : ENV/HCLL/SE/JUN/19-20/01

W. O. No. : Nil

Date : 29/06/2019

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/19-20/06-01		
02	Date of Sampling	19.06.2019		
03	Material of Construction	M. S.		
04	Stack Attached To	B. F. of Crusher		
05	Stack Diameter (Meter)	1.0		
06	Flue Gas Temperature (°C)	28		
07	Exit Velocity of Gas (m/sec)	4.4		
08	Flow Rate (Nm ³ /hr)	12318		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	23.7	mg/Nm ³	30

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No. : ENV/HCLL/SE/JUN/19-20/02

W. O. No. : Nil

Date : 29/06/2019

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/19-20/06-02		
02	Date of Sampling	19.06.2019		
03	Material of Construction	M. S.		
04	Stack Attached To	R.A.B.H.		
05	Stack Diameter (Meter)	3.0		
06	Flue Gas Temperature (°C)	181		
07	Exit Velocity of Gas (m/sec)	12.8		
08	Flow Rate (Nm ³ /hr)	213827		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	Particulate Matter (as PM)	25.7	mg/Nm ³	30
ii.	Sulphur Dioxide (as SO ₂)	741.85	mg/Nm ³	1000
iii.	Oxides of Nitrogen (as NO _x)	445.17	mg/Nm ³	800

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No. : ENV/HCLL/SE/JUN/19-20/03

Date : 29/06/2019

W. O. No. : Nil

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED


Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/19-20/06-03		
02	Date of Sampling	19.06.2019		
03	Material of Construction	M. S.		
04	Stack Attached To	Coal Mill		
05	Stack Diameter (Meter)	1.2		
06	Flue Gas Temperature (°C)	59		
07	Exit Velocity of Gas (m/sec)	9.2		
08	Flow Rate (Nm ³ /hr)	33626		
09	Type of Fuel Used	Coal		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	26.9	mg/Nm ³	30
ii.	Sulphur Dioxide (as SO ₂)	781.24	mg/Nm ³	1000
iii.	Oxides of Nitrogen (as NO _x)	475.79	mg/Nm ³	800

Pankaj Baroi


Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs

Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No. : ENV/HCLL/SE/JUN/19-20/04

W. O. No. : Nil

Date : 29/06/2019

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/19-20/06-04		
02	Date of Sampling	20.06.2019		
03	Material of Construction	M. S.		
04	Stack Attached To	Cooler E.S.P.		
05	Stack Diameter (Meter)	2.8		
06	Flue Gas Temperature (°C)	214		
07	Exit Velocity of Gas (m/sec)	13.4		
08	Flow Rate (Nm ³ /hr)	181785		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	22.4	mg/Nm ³	30

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No. : ENV/HCLL/SE/JUN/19-20/05
 Date : 29/06/2019

W. O. No. : Nil
 Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44
 Sub Division: Khliehriat, Dist.: Jaintia Hills
Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/19-20/06-05		
02	Date of Sampling	20.06.2019		
03	Material of Construction	M. S.		
04	Stack Attached To	Cement Mill		
05	Stack Diameter (Meter)	1.2		
06	Flue Gas Temperature (°C)	58		
07	Exit Velocity of Gas (m/sec)	10.9		
08	Flow Rate (Nm ³ /hr)	39960		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	28.3	mg/Nm ³	30

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No. : ENV/HCLL/SE/JUN/19-20/06
 Date : 29/06/2019

W. O. No. : Nil
 Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44
 Sub Division: Khliehriat, Dist.: Jaintia Hills
Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/19-20/06-06		
02	Date of Sampling	20.06.2019		
03	Material of Construction	M. S.		
04	Stack Attached To	Packing House		
05	Stack Diameter (Meter)	0.8		
06	Flue Gas Temperature (°C)	26		
07	Exit Velocity of Gas (m/sec)	10.8		
08	Flow Rate (Nm ³ /hr)	19480		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	24.9	mg/Nm ³	30

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.