

Report No.: ENV/HCCL/AAQ/Jul/17-18/01

Date : 31/07/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

SL. No.	Location(s) ↓	Date of Sampling	PM 2.5 ($\mu\text{g}/\text{m}^3$)	PM 10 ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)
	Limit(s) →		60 (24 Hrs. Av.)	100 (24 Hrs. Av.)	80 (24 Hrs. Av.)	80 (24 Hrs. Av.)
1.	In-front of Guest House	17.07.2017	19.6	42.4	ND	ND
2.	Near Crusher Area	18.07.2017	45.3	79.6	6.5	ND
3.	In- Front of Compressor House (Cement Mill)	18.07.2017	33.7	61.3	8.7	5.2

ND: Not Detected

Analysis Protocol: **IS 5182**

Sampled & Analysed by: ENVIROCON, Digboi



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Report No.: ENV/HCCL/SE/Jul/17-18/01

Date : 31/07/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Jul/17-18/01		
02	Date of Sampling	17.07.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	B. F. of Crusher		
05	Stack Diameter (Meter)	1.0		
06	Flue Gas Temperature (°C)	33		
07	Exit Velocity of Gas (m/sec)	4.8		
08	Flow Rate (Nm ³ /hr)	13,219		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	29.4	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/Jul/17-18/02

Date : 31/07/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Jul/17-18/02		
02	Date of Sampling	17.07.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	R.A.B.H.		
05	Stack Diameter (Meter)	3.0		
06	Flue Gas Temperature (°C)	178		
07	Exit Velocity of Gas (m/sec)	12.1		
08	Flow Rate (Nm ³ /hr)	2,03,477		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	25.9	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/Jul/17-18/03

Date : 31/07/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Jul/17-18/03		
02	Date of Sampling	18.07.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Coal Mill		
05	Stack Diameter (Meter)	1.2		
06	Flue Gas Temperature (°C)	58		
07	Exit Velocity of Gas (m/sec)	8.7		
08	Flow Rate (Nm ³ /hr)	31,895		
09	Type of Fuel Used	Coal		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	28.7	mg/Nm ³	30



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/Jul/17-18/04

Date : 31/07/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44

Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Jul/17-18/04		
02	Date of Sampling	18.07.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Cooler E.S.P.		
05	Stack Diameter (Meter)	2.8		
06	Flue Gas Temperature (°C)	209		
07	Exit Velocity of Gas (m/sec)	12.9		
08	Flow Rate (Nm ³ /hr)	1,76,817		
09	Type of Fuel Used	Coal		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	26.8	mg/Nm ³	30



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/Jul/17-18/05

Date : 31/07/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Jul/17-18/05		
02	Date of Sampling	18.07.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Cement Mill		
05	Stack Diameter (Meter)	1.2		
06	Flue Gas Temperature (°C)	59		
07	Exit Velocity of Gas (m/sec)	9.3		
08	Flow Rate (Nm ³ /hr)	33,992		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	28.2	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, **ENVIROCON**

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

Report No.: ENV/HCCL/SE/Jul/17-18/06

Date : 31/07/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/Jul/17-18/06		
02	Date of Sampling	15.07.2017		
03	Material of Construction	M. S.		
04	Stack Attached To	Packing House		
05	Stack Diameter (Meter)	0.8		
06	Flue Gas Temperature (°C)	33		
07	Exit Velocity of Gas (m/sec)	8.2		
08	Flow Rate (Nm ³ /hr)	14,220		
09	Type of Fuel Used	NA*		
10	Analysis Results of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	PM- Particulate Matter	29.3	mg/Nm ³	30

*NA: Not Applicable



Checked By: Pankaj Baroi, ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Report No.: ENV/HCCL/NLM/Jul/17-18/01

Date : 31/07/2017

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44


Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

NOISE LEVEL MEASUREMENT RESULTS

Measurement Date: 15.07.2017

Sl. No.	Locations	Day Time				Night Time			
		Max. (dB-A)	Min. (dB-A)	L _{eq} (dB-A)	Limit (dB-A)	Max. (dB-A)	Min. (dB-A)	L _{eq} (dB-A)	Limit (dB-A)
1	Near Kiln Area	74	69	71	75	71	64	67	70
2	Near CCR Building	62	56	59	75	57	52	56	70
3	Main Gate	63	57	61	75	49	38	47	70
4	Near Main Building	60	54	58	75	51	45	47	70



Pankaj Baroi
 Digboi Assam
 Recognized by PCB, Assam & MSPCB, Meghalaya

Checked By: Pankaj Baroi, ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.
2. Results refer only to the particular parameters tested.
3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.