



Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/MSPCB/20-21/05

Date: 22/3/21.

The Member Secretary, Meghalaya State Pollution Control Board ARDEN Lumpyngngad Shillong (Meghalaya) -793014

Subject: Reports on Ambient air quality test results, Stack Emission Test Results & Waste Water Analysis (STP) for the month of Feb 2021

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of Feb 2021 for the following test results:

SI No.	Test Results	Purpose
1	Ambient air quality	-
2	Stack Emission	B.F of Crusher
3	Stack Emission	R.A.B.H
4	Stack Emission	Coal Mill
5	Stack Emission	Cooler E.S.P
6	Stack Emission	Cement Mill
7	Stack Emission	Packing House
8	Waste Water Analysis Result	Treated STP Water Analysis

Thanking you,

HE ord libe Cement Company Ltd

AUA TIEN IS THE OF STREET ALLOW

Copy To: - The Joint Director (S), Ministry of Environment, Forest & Climate Change NE Regional Office, Lumbatngen, Shillong 793021 for information





HCCL/MSPCB/20-21/05

Date: 22/3/8/...

To,
The Member Secretary,
Meghalaya State Pollution Control Board
ARDEN Lumpyngngad
Shillong (Meghalaya) -793014

Subject: Reports on Ambient air quality test results, Stack Emission Test Results & Waste Water Analysis (STP) for the month of Feb 2021

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of Feb 2021 for the following test results:

Sl No.	Test Results	Purpose	
1	Ambient air quality	-	
2	Stack Emission	B.F of Crusher	
3	Stack Emission	R.A.B.H	
4	Stack Emission	Coal Mill	
5	Stack Emission	Cooler E.S.P	
6	Stack Emission	Cement Mill	
7	Stack Emission	Packing House	
8	Waste Water Analysis Result	Treated STP Water Analysis	

Thanking you,

For Hills Cement Company Ltd

HILLS CEMENT CO. LTD.

Authorised Signatory

Copy To: - The Joint Director (S), Ministry of Environment, Forest & Climate Char

NE Regional Office, Lumbatngen, Shillong 793021 for information



Recognised By
PCB, Assam & MSPCB, Meghalaya

Digboi Stores Building, New Market Digboi, Assam – 786 171 Ph: 03761-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com Website: www.envirocon.net.in



Report No.: ENV/HCCL/AAQ/FEB/20-21/01

Date : 05/03/2021

W. O. No. : Nil

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44 Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

SL.	Location(s)	Location(s) Date of (μg/m³) Sampling 60 (24 Hrs. Av.)		PM 10 (μg/m³)	SO ₂ (μg/m³)	NO ₂ (μg/m³)
No.	Limit(s)>		100 (24 Hrs. Av.)	80 (24 Hrs. Av.)	80 (24 Hrs. Av.)	
1.	In-front of Guest House	11.02.2021	18.1	33.7	<5.0	<6.0
2.	Near Crusher Area	11.02.2021	36.9	59.4	6.1	8.8
3.	In- Front of Compressor House (Cement Mill)	12.02.2021	32.4	53.8	5.5	8.3
4.	Near Mines	12.02.2021	24.8	47.8	<5.0	<6.0

Analysis Protocol: IS 5182



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.



Digboi Stores Building, New Market Digboi, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

E-mail: envirocon@rediffmail.cor Website: www.envirocon.net.in



Report No.: ENV/HCCL/SE/FEB/20-21/01

Date : 05/03/2021

W.O.No. : Nil

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44 Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

i.	PM- Particulate Matter	23.8	mg/Nm³	30	
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
10	Analysi	s Results of Flue Gas			
09	Type of Fuel Used	NA*			
08	Flow Rate (Nm³/hr)	11633			
07	Exit Velocity of Gas (m/sec)	4.1			
06	Flue Gas Temperature (°C)	24			
05	Stack Diameter (Meter)	1.0			
04	Stack Attached To	B. F. of Crusher			
03	Material of Construction	M. S.			
02	Date of Sampling	11.02.2021			
01	Stack Emission Test Ref. No.	HCCL/SE/20-21/02-01			

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE:

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.



Digboi Stores Building, New Market Digboi, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com Website: www.envirocon.net.in



Report No.: ENV/HCCL/SE/FEB/20-21/02

Date : 05/03/2021

W.O. No. : Nil

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44 Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

iii.	Oxides of Nitrogen (as NO _x)	468.4	mg/Nm³	800		
ii.	Sulphur Dioxide (as SO ₂)	853.3	mg/Nm³	1000		
í.	Particulate Matter (as PM)	18.3	mg/Nm³	30		
SI. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)		
10	Analysi	s Results of Flue Gas				
09	Type of Fuel Used		NA*			
08	Flow Rate (Nm³/hr)	262335				
07	Exit Velocity of Gas (m/sec)	15.6				
06	Flue Gas Temperature (°C)	178				
05	Stack Diameter (Meter)	3.0				
04	Stack Attached To		R.A.B.H.			
03	Material of Construction		M. S.			
02	Date of Sampling		11.02,2021			
01	Stack Emission Test Ref. No.	HCCL/SE/20-21/02-02				

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.



Digboi Stores Building, New Market Digboi, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com Website: www.envirocon.net.in



W. O. No. : Nil

Date

: 11/03/2019

Report No.: ENV/HCCL/SE/FEB/20-21/03

Date : 05/03/2021

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44 Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	НС	HCCL/SE/20-21/02-03			
02	Date of Sampling	11.02.2021				
03	Material of Construction		M. S.			
04	Stack Attached To		Coal Mill			
05	Stack Diameter (Meter)	1.2				
06	Flue Gas Temperature (°C)	61				
07	Exit Velocity of Gas (m/sec)	12.8				
08	Flow Rate (Nm³/hr)	46504				
09	Type of Fuel Used	Coal				
10	Analysi	s Results of Flue Gas				
SI. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s		
i	PM- Particulate Matter	25.6	mg/Nm³	30		
ii.	Sulphur Dioxide (as SO ₂)	869.7	mg/Nm³	1000		
Hi.	Oxides of Nitrogen (as NO _x)	496.0	mg/Nm³	800		



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.



Digboi Stores Building, New Market Digboi, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 Famail: envirocon@rediffmail.com

E-mail: envirocon@rediffmail.com Website: www.envirocon.net.in



Report No.: ENV/HCCL/SE/FEB/20-21/04

Date : 02/012/2021

W.O.No. : Nil

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44 Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

01	Stack Emission Test Ref. No.	HCCL/SE/20-21/02-04				
02	Date of Sampling	12.02.2021				
03	Material of Construction	M. S.				
04	Stack Attached To	Cooler E.S.P.				
05	Stack Diameter (Meter)	2.8				
06	Flue Gas Temperature (°C)	224				
07	Exit Velocity of Gas (m/sec)	15.1				
08	Flow Rate (Nm³/hr)	200725				
09	Type of Fuel Used	NA*				
10	Analysi	Analysis Results of Flue Gas				
SI. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s		
i.	PM- Particulate Matter	17.9	mg/Nm³	30		

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.



Digboi Stores Building, New Market Digboi, Assam - 786 171

Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com Website: www.envirocon.net.in



Report No.: ENV/HCCL/SE/FEB/20-21/05

Date : 05/03/2021

W. O. No. : Nil

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44 Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

i.	PM- Particulate Matter	20.6	mg/Nm³	30		
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s		
10	Analysi	sis Results of Flue Gas				
09	Type of Fuel Used	NA*				
08	Flow Rate (Nm³/hr)	49125				
07	Exit Velocity of Gas (m/sec)	13.4				
06	Flue Gas Temperature (°C)	58				
05	Stack Diameter (Meter)	1.2				
04	Stack Attached To	Cement Mill				
03	Material of Construction	M. S.				
02	Date of Sampling	12.02.2021				
01	Stack Emission Test Ref. No.	HCCL/SE/20-21/02-05				

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.



Digboi Stores Building, New Market Digboi, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

Website: www.envirocon.net.in



Report No.: ENV/HCCL/SE/FEB/20-21/06

Date : 05/03/2021

W. O. No. : Nil

Date : 11/03/2019

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44 Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

STACK EMISSION TEST RESULTS

SI. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s		
10	Analysi	is Results of Flue Gas				
09	Type of Fuel Used	NA*				
08	Flow Rate (Nm³/hr)	23664				
07	Exit Velocity of Gas (m/sec)	12.9				
06	Flue Gas Temperature (°C)	21				
05	Stack Diameter (Meter)	0.8				
04	Stack Attached To	Packing House				
03	Material of Construction	M. S.				
02	Date of Sampling	12.02.2021				
01	Stack Emission Test Ref. No.	HCCL/SE/20-21/02-06				

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.



Digboi Stores Building, New Market Digboi, Assam - 786 171

Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com Website: www.envirocon.net.in



Report No.: ENV/HCCL/STP/FEB/20-21/01

Date : 05/03/2021

W. O. No. : HCCL/HO/ENV/20-21/01

Date : 18/11/2020

M/s HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44 Sub Division: Khliehriat, Dist.: Jaintia Hills

Meghalaya

WASTE WATER ANALYSIS RESULTS

Sample Type : STP Treated Water

Sample Source : STP Outlet

Collected By : Jointly by Envirocon & Client

Collected On : 12.02.2021

SI. No.	Parameter(s)	Unit(s)	Result(s)	Desirable Limit (CPCB Norms)
1.	рН	-	6.79	5,5 = 9,0
2.	Temperature	°C	19.5	shall not exceed 5°C above the receiving water temperature
3.	Total Suspended Solids	mg/l	22	100
4.	Biochemical Oxygen Demand (3 Days @27°C)	mg/l	18	30
5.	Chemical Oxygen Demand	mg/l	82	250
6.	Oil & Grease	mg/I	<4.0	10
7.	Total Residual Chlorine	mg/l	<0.01	1.0
8.	Ammonical Nitrogen (as N)	mg/l	2.6	50
9.	Total Kjeldahl Nitrogen (as NH ₃)	mg/l	8.3	100
10.	Free Ammonia (as NH ₃)	mg/l	<0.01	5.0

Analysis Protocol: IS 3025 ND: Not Detected



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.