

Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/FORMV/22-23/003

Date 29 04 22

To,

Member Secretary

Meghalaya State Pollution Control Board

ARDEN, Lumpyngngad

Shillong (Meghalaya) -793014

Sub: - Submission of Environmental Statement Form V of Cement Plant for the

Year ending 31st March 2020

Dear Sir,

With reference to the subject mention above we would like to submit our Environmental Statement Form V of cement plant for the year ending 31st March 2020.

Kindly acknowledge the same and do the needful.

Thanking You

Your Faithfully

For Hills Cement Company Limited
HILLS CEMENT CO. LTD.

Authorised Signatory
Authorized Signatory

246/22/S

## Form - V

# Environmental Statement for the financial year ending the 31<sup>st</sup> March 2020 (Cement Plant)

## PART - A

1	Name and Address of the Owner/ Occupier of the Industry, Operation or Process	Hills Cement Company Ltd., (Cement Plant) 116 KM Stone, NH-44, Mynkree village, East Jaintia Hills, Meghalaya- 793200
2	Industry Category: Primary (STC Code), Secondary (SIC Code)	Clinker Manufacturing SIC Code 3241
3	Production Capacity	3000 TPD Cement 2500 TPD Clinker
4	Production during year 2018-19	233902.00 MT CLINKER 282562.50 MT CEMENT .
5	Production during year 2019-20	316775.00 MT CLINKER 365049.00 MT CEMENT
6	Year of Establishment	2009
7	Date of the last Environmental Statement Submitted.	

## PART - B

## WATER AND RAW MATERIAL CONSUMPTION

## (I) WATER CONSUMPTION (m³/day)

a. Process

- Nil

b. Cooling

: Water used in the Cooling Tower of the plant is approximately 15 m³/day.

c. Domestic

: 3.5 m<sup>3</sup>/ day

Water is also used for sprinkling to suppress airborne dust/greenbelt development, @25 m³/day

SL. NO.	NAME OF PRODUCTS	PROCESS WATER CONSUMPTION	PER UNIT OF PRODUCT OUTPUT
		During the previous Financial Year (2018-19)	During the Current Financial Year (2019-20)
1	Cement & Clinker	Nil	Nil

51 110	NAME OF RAW	NAME OF	CONSUMPTION OF RAW MATERIAL PER UNIT OF OUTPUT			
SL. NO.	MATERIAL*	PRODUCT(S)	During the Previous Financial Year (2018-19)	During the Current Financial Year (2019-20)		
1	Limestone		1.289	1.268		
2	Clay	Clinker	0.051	0.047		
3	Hills Sand		0.271	0.269		
4	Shale		-			
5	Fly Ash		0.193	0.17		
6	Gypsum	Cement				

<sup>\*</sup>Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all Industries have to name the raw materials used.

## PART - C

#### POLLUTION DISCHARGE TO ENVIRONMENT/UNIT OF OUTPUT

(PARAMETERS AS SPECIFIED IN THE CONSENT ISSUED)

SL NO.	POLLUTANTS	QUAN	PERCENTAGE OF VARIATION FROM PRESCRIBED STANDARDS WITH REASONS		
Α	Water		NA		NA
	Ambient Air	Name of the Station	Particulate Matters 10 Micron Size (µg/m³)	Particulate Matters 2.5 Micron Size (μg/m³)	Particulate matter values are
В		Near Crusher Area	59.64	30.03	well within the prescribed limits stipulated by
	Amoienean	Near Guest House	36.68	20.35	concerned regulatory
		Near Cement Mill Compressor House 54.97	54.97	24.90	
С	Noise	Ambient Noise Levels	are within prescribed limi	ts for Industrial Areas	NA

## PART - D

## **HAZARDOUS WASTES**

[AS DISCUSSED UNDER HAZARDOUS WASTE — (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2008, AMENDED TILL DATE]

		TOTAL QUANTITY			
SL. NO.	HAZARDOUS WASTE	During the Previous Financial Year (2018-19)	During the Currer Financial Year (2019-20)		
A	From Process				
(i)	Used Oil	1000 Lt	1130 Lt.		
(ii)	Used Grease	200 Kg.	540 kg		
В	From Pollution Control Facilities	NIL	NIL		

## PART-E

## SOLID WASTES

		TOTAL QUANTITY (KG)			
SL. NO.	SOLID WASTE	During the Previous Financial Year (2018-19)	During the Current Financial Year (2019-20) Not applicable		
Α	From Process	Not applicable			
8	From Pollution Control Facilities	200	1650		
С	Quantity Recycled or Reutilized	200	1650		

#### PART-F

[PLEASE SPECIFY THE CHARACTERIZATION (IN TERMS OF COMPOSITIONS & QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR THESE CATAGORIES OF WASTES]

SL. NO.	DESCRIPTION OF HAZARDOUS WASTE	QTY. OF WASTE GENERATED DURING THE YEAR 2019-20	DISPOSAL METHOD	
1	Used/ Spent Oil	1130 Litrs	Socurely stered and rejused	
2	Used Grease	100 kg	Securely stored and re used.	

SL. NO.	DESCRIPTION OF SOLID WASTE	QTY. OF WASTE GENERATED DURING THE YEAR 2019-20	DISPOSAL METHOD
1	Solid Waste from Pollution Control Device	NIL	Recycled/Reused .

#### PART-G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION

- > Dust Collectors have been installed to control suspended particulate matter.
- Appropriate pollution control devices have been installed in all the stacks.
- > Online continuous stack monitoring system has been installed.
- > Regular sprinkling of water is also carried out to suppress ambient air-borne dust concentration.

#### PART - H

ADDITIONAL MEASURES / INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION / PREVENTION OF POLLUTION

- Plants of different variety are being planted to increase the green coverage of the area.
- > Additional investments shall be made as and when necessary.

## PART-I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF THE ENVIRONMENT

> NA					
INA					