

Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/MSPCB/22-23/08

Date: 21 12 22

To,

The Member Secretary, Meghalaya State Pollution Control Board ARDEN Lumpyngngad Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water Analysis (STP) & Noise Level Measurement Test for the month of Nov 2022 Dear Sir,

Please find enclosed herewith to this letter the reports for the month of November 2022 for the following test results:

Sl No.	Test Results	<u>Purpose</u>
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd

HILLS CEMENT CO. LTD.

Authorised Signatory

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate Change NE Regional Office, Lumbatngen, Shillong 793021 for information

> (2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

HILLS CEMENT COMPANY LIMITED



Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/MSPCB/22-23/08

Date: 21/12/22

To,

The Member Secretary, Meghalaya State Pollution Control Board ARDEN Lumpyngngad Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water Analysis (STP) & Noise Level Measurement Test for the month of Nov 2022 Dear Sir,

Please find enclosed herewith to this letter the reports for the month of November 2022 for the following test results:

Sl No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd HILLS CEMENT CO. LTD.

Authorised Signatory Authorised Signatory

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate Change NE Regional Office, Lumbatngen, Shillong 793021 for information

> (2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

HILLS CEMENT COMPANY LIMITED



Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/MSPCB/22-23/08

Date: 21/12/22

To,
The Member Secretary,
Meghalaya State Pollution Control Board
ARDEN Lumpyngngad
Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water

Analysis (STP) & Noise Level Measurement Test for the month of Nov 2022

Dear Sir.

Please find enclosed herewith to this letter the reports for the month of **November 2022** for the following test results:

SI No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd HILLS CEMENT CO. LTD.

Authorised Signatory

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate Change NE Regional Office, Lumbatngen, Shillong 793021 for information

(2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

HILLS CEMENT COMPANY LIMITED



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

tion Control Board, Assam

Report No.: ENV/HCCL/22-23/AA-11/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 08/12/2022 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

Sl. No.	LOCATION(S)↓	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	SO ₂ (μg/m³)	NO ₂ (μg/m³)
	LIMIT(S) →		60	100	80	80
01	In-front of Guest House	29.11.2022	28.7	44.9	<5.0	<6.0
02	Near Crusher Area	29.11.2022	33.4	53.6	7.1	7.9
03	In- Front of Compressor House (Cement Mill)	30.11.2022	30.6	51.2	7.3	7.7
04	Near Mines	30.11.2022	31.2	50.7	<5.0	<6.0

Analysis Protocol: IS 5182



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs

Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

28672 | ISO

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/N-11/01

Date : 08/12/2022

Order No.: HCCL/HO/ENV/21-22/01

Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

NOISE LEVEL MEASUREMENT RESULTS

CL N-		Date	Day Time		Night Time	
51. NO.	Sl. No. Location(s) Of Measurement		L _{eq} (dB-A)	Limit (dB-A)	L _{eq} (dB-A)	Limit (dB-A)
1	In-front of Guest House	29.11.2022	51.7	75	44.6	70
2	Near Crusher Area	29.11.2022	69.2	75	67.8	70
3	In- Front of Compressor House (Cement Mill)	30.11.2022	70.4	75	65.2	70
4	Near Mines	30.11.2022	53.6	75	44.7	70



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/SE-11/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 08/12/2022 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	HCCL/22-23/SE-11/01			
02	Date of Sampling	29.11.2022			
03	Material of Construction		M. S.		
04	Stack Attached To		R.A.B.H.		
05	Stack Diameter (Meter)		3.0		
06	Flue Gas Temperature (°C)	179			
07	Exit Velocity of Gas (m/sec)	15.6			
08	Flow Rate (Nm³/hr)	261754			
09	Type of Fuel Used	NA*			
	Analysis Resul	lts of Flue Gas			
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)			
i.	Particulate Matter	26 mg/Nm ³ 30			
ii.	Sulphur Dioxide (as SO ₂)	677 mg/Nm³ 1000			
iii.	Oxides of Nitrogen (as NO _x)	361 mg/Nm³ 800			

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/SE-11/02 Order No.: HCCL/HO/ENV/21-22/01

Date : 08/12/2022 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	Н	CCL/22-23/SE-11/0)2	
02	Date of Sampling	29.11.2022			
03	Material of Construction	M. S.			
04	Stack Attached To		Coal Mill		
05	Stack Diameter (Meter)		1.2		
06	Flue Gas Temperature (°C)	55			
07	Exit Velocity of Gas (m/sec)	12.9			
08	Flow Rate (Nm³/hr)	47725			
09	Type of Fuel Used	Coal			
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)			
i.	Particulate Matter	21 mg/Nm ³ 30			
ii.	Sulphur Dioxide (as SO ₂)	403 mg/Nm³ 1000			
iii.	Oxides of Nitrogen (as NO _x)	321	mg/Nm³	800	



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Order No.: HCCL/HO/ENV/21-22/01

:08/04/2021

Date

Report No.: ENV/HCCL/22-23/SE-11/03

Date : 08/12/2022

Report Issued To:

HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	HCCL/22-23/SE-11/03			
02	Date of Sampling	30.11.2022			
03	Material of Construction	M. S.			
04	Stack Attached To		Cooler E.S.P.		
05	Stack Diameter (Meter)		2.8		
06	Flue Gas Temperature (°C)	221			
07	Exit Velocity of Gas (m/sec)	7.9			
08	Flow Rate (Nm³/hr)	105653			
09	Type of Fuel Used	NA*			
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	26 mg/Nm ³ 30			
ii.	Sulphur Dioxide (as SO ₂)	BDL# mg/Nm³ 1000			
iii.	Oxides of Nitrogen (as NO _x)	BDL#	mg/Nm³	800	

*NA: Not Applicable

#BDL: Below Detectable Limit



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/WW-11/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 08/12/2022 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

WASTE WATER ANALYSIS RESULTS

Sample Ref. No. : HCCL/22-23/WW-3011/01

Sample Type/Source : Waste Water (Treated)/STP Outlet

Sample Collected By : Representative of ENVIROCON

Sample Collected On : 30.11.2022 Sample Received On : 02.11.2022 Analysis Protocol : IS 3025

Sl. No.	Parameter(s)	Unit(s)	Result(s)	Limit (As Per CPCB Standards)
1.	pН		6.91	5.5 – 9.0
2.	Temperature	°C	25.4	shall not exceed 5°C above the receiving water temperature
3.	Total Suspended Solids	mg/l	27	100
4.	Biochemical Oxygen Demand	mg/l	19	30
5.	Chemical Oxygen Demand	mg/l	86	250
6.	Oil & Grease	mg/l	<4.0	10
7.	Total Residual Chlorine	mg/l	<0.01	1.0
8.	Ammonical Nitrogen (as N)	mg/l	2.9	50
9.	Total Kjeldahl Nitrogen (as NH3)	mg/l	9.6	100
10.	Free Ammonia (as NH ₃)	mg/l	<0.01	5.0



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$