

Website: www.tajcement.com CIN: U26942ML2003PLC007295

Date: (5 05 2023

HCCL/MSPCB/22-23/15

To,
The Member Secretary,
Meghalaya State Pollution Control Board
ARDEN Lumpyngngad
Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water Analysis (STP) & Noise Level Measurement Test for the month of April 2023

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of **April 2023** for the following test results:

SI No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

HILLS FOR Hills Coment Company Ltd

Authorised Signatory

**Authorised Signatory** 

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate Change

NE Regional Office, Lumbatngen, Shillong 793021 for information

(2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

## HILLS CEMENT COMPANY LIMITED



Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/MSPCB/22-23/17

Date: 15 | 05 | 2013

To, The Member Secretary, Meghalaya State Pollution Control Board ARDEN Lumpyngngad Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water Analysis (STP) & Noise Level Measurement Test for the month of April 2023

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of April 2023 for the following test results:

Sl No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd

HILLS CEMENT CO, LTD.


Authorised Signatory tory

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate

Change

NE Regional Office, Lumbatngen, Shillong 793021 for information (2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

# **HILLS CEMENT COMPANY LIMITED**





Website: www.tajcement.com CIN: U26942ML2003PLC007295

Date: 15 05 2023

HCCL/MSPCB/22-23/16

To, The Member Secretary, Meghalaya State Pollution Control Board ARDEN Lumpyngngad Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water Analysis (STP) & Noise Level Measurement Test for the month of April 2023

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of April 2023 for the following test results:

<u>Sl No.</u>	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd

Typush Bar Authorised Signatory Tory

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate Change

NE Regional Office, Lumbatngen, Shillong 793021 for information

(2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

HILLS CEMENT COMPANY LIMITED



ISO 9001:2015 Certified ISO 45001:2018 Certified

E-mail: envirocon@rediffmail.com

Report No.: ENV/HCCL/23-24/AA-04/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 10/05/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

## **AMBIENT AIR QUALITY TEST RESULTS**

Sl. No.	LOCATION(S) ↓	Date of Sampling	<b>PM 2.5</b> (μg/m³)	<b>PM 10</b> (μg/m³)	<b>SO</b> <sub>2</sub> (μg/m³)	<b>NO</b> <sub>2</sub> (μg/m³)
	LIMIT(S) →		60	100	80	80
01	In-front of Guest House	14.04.2023	27.9	52.4	<5.0	<6.0
02	Near Crusher Area	14.04.2023	38.2	56.1	7.8	8.6
03	In- Front of Compressor House (Cement Mill)	15.04.2023	34.6	55.7	7.1	8.5
04	Near Mines	15.04.2023	33.5	53.9	<5.0	<6.0

Analysis Protocol: IS 5182



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



ISO 9001:2015 Certified ISO 45001:2018 Certified

E-mail: envirocon@rediffmail.com

Report No.: ENV/HCCL/23-24/N-04/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 10/05/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### **NOISE LEVEL MEASUREMENT RESULTS**

GL N		Date	Day Time		Night Time	
Sl. No.	Location(s)	Of Measurement	L <sub>eq</sub> (dB-A)	Limit (dB-A)	L <sub>eq</sub> (dB-A)	Limit (dB-A)
1	In-front of Guest House	14.04.2023	53.6	75	46.1	70
2	Near Crusher Area	14.04.2023	68.2	75	65.3	70
3	In- Front of Compressor House (Cement Mill)	15.04.2023	72.7	75	67.4	70
4	Near Mines	15.04.2023	53.9	75	49.2	70



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs

Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/23-24/SE-04/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 10/05/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### **STACK EMISSION TEST RESULTS**

01	Test Ref. No.	HCCL/2023/SE-04/01			
02	Date of Sampling	14.04.2023			
03	Material of Construction		M. S.		
04	Stack Attached To		R.A.B.H.		
05	Stack Diameter (Meter)		3.0		
06	Flue Gas Temperature (°C)	179			
07	Exit Velocity of Gas (m/sec)	17.3			
08	Flow Rate (Nm³/hr)	298668			
09	Type of Fuel Used	NA*			
	Analysis Resul	lts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	19 mg/Nm³ 30			
ii.	Sulphur Dioxide (as SO <sub>2</sub> )	711 mg/Nm <sup>3</sup> 1000			
iii.	Oxides of Nitrogen (as NO <sub>x</sub> )	349 mg/Nm <sup>3</sup> 800			

<sup>\*</sup>NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/23-24/SE-04/02 Order No.: HCCL/HO/ENV/21-22/01

Date : 10/05/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### **STACK EMISSION TEST RESULTS**

		_			
01	Test Ref. No.	HCCL/2023/SE-04/02			
02	Date of Sampling		14.04.2023		
03	Material of Construction		M. S.		
04	Stack Attached To		Coal Mill		
05	Stack Diameter (Meter)		1.2		
06	Flue Gas Temperature (°C)	52			
07	Exit Velocity of Gas (m/sec)	12.4			
08	Flow Rate (Nm³/hr)	46441			
09	Type of Fuel Used	Coal			
	Analysis Resul	lts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	23 mg/Nm³ 30			
ii.	Sulphur Dioxide (as SO <sub>2</sub> )	567 mg/Nm³ 1000			
iii.	Oxides of Nitrogen (as NO <sub>x</sub> )	258 mg/Nm <sup>3</sup> 800			



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/23-24/SE-04/03 Order No.: HCCL/HO/ENV/21-22/01

Date : 10/05/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### **STACK EMISSION TEST RESULTS**

01	Test Ref. No.	HCCL/2023/SE-04/03			
02	Date of Sampling	15.04.2023			
03	Material of Construction		M. S.		
04	Stack Attached To		Cooler E.S.P.		
05	Stack Diameter (Meter)		2.8		
06	Flue Gas Temperature (°C)	221			
07	Exit Velocity of Gas (m/sec)	8.3			
08	Flow Rate (Nm³/hr)	111002			
09	Type of Fuel Used	NA*			
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	25 mg/Nm <sup>3</sup> 30			
ii.	Sulphur Dioxide (as SO <sub>2</sub> )	BDL# mg/Nm³ 1000			
iii.	Oxides of Nitrogen (as NO <sub>x</sub> )	BDL# mg/Nm <sup>3</sup> 800			

\*NA: Not Applicable

**#BDL: Below Detectable Limit** 



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

 $2. \ Results \, refer \, only \, to \, the \, particular \, parameters \, tested.$ 

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.



E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Order No.: HCCL/HO/ENV/21-22/01

:08/04/2021

Date

Report No.: ENV/HCCL/23-24/WW-04/01

Date : 10/05/2023

Report Issued To:

HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

#### **WASTE WATER ANALYSIS RESULTS**

Sample Ref. No. : HCCL/2023/WW-3004/01

Sample Type/Source : Waste Water (Treated)/STP Outlet Sample Collected By : Representative of ENVIROCON

Sample Collected On : 30.04.2023 Sample Received On : 02.05.2023 Analysis Protocol : IS 3025

Sl. No.	Parameter(s)	Unit(s)	Result(s)	Limit (As Per CPCB Standards)
1.	рН		6.83	5.5 – 9.0
2.	Temperature	°C	25.6	shall not exceed 5°C above the receiving water temperature
3.	Total Suspended Solids	mg/l	34	100
4.	Biochemical Oxygen Demand	mg/l	21	30
5.	Chemical Oxygen Demand	mg/l	92	250
6.	Oil & Grease	mg/l	<4.0	10
7.	Total Residual Chlorine	mg/l	<0.01	1.0
8.	Ammonical Nitrogen (as N)	mg/l	4.1	50
9.	Total Kjeldahl Nitrogen (as NH3)	mg/l	12.7	100
10.	Free Ammonia (as NH <sub>3</sub> )	mg/l	<0.01	5.0



Checked By: Mr. Pankaj Baroi, ENVIROCON

**NOTE:** 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$