

Date:

n's pelis



HCCL/MSPCB/22-23/12

To,
The Member Secretary,
Meghalaya State Pollution Control Board
ARDEN Lumpyngngad
Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water
Analysis (STP) & Noise Level Measurement Test for the month of March 2023

Dear Sir.

Please find enclosed herewith to this letter the reports for the month of March 2023 for the following test results:

SI No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
	Waste Water Analysis Result	STP Water Analysis
)	Noise Level Measurement Test	

Thanking you,
For Hills Cement Company Ltd

Authorised Signatory

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate Change

NE Regional Office, Lumbatngen, Shillong 793021 for information

(2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

HILLS CEMENT COMPANY LIMITED



Website: www.tajcement.com CIN: U26942ML2003PLC007295

Date:

HCCL/MSPCB/22-23/14

To,
The Member Secretary,
Meghalaya State Pollution Control Board
ARDEN Lumpyngngad
Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water
Analysis (STP) & Noise Level Measurement Test for the month of March 2023
Dear Sir,

Please find enclosed herewith to this letter the reports for the month of March 2023 for the following test results:

<u>S1 No.</u>	Test Results	<u>Purpose</u>
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Coment Company Ltd

Authorised Signatory Authorised Signatory

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate Change

NE Regional Office, Lumbatngen, Shillong 793021 for information

(2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

HILLS CEMENT COMPANY LIMITED





HCCL/MSPCB/22-23/13

~												
D	a	te	30									

To,
The Member Secretary,
Meghalaya State Pollution Control Board
ARDEN Lumpyngngad
Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water
Analysis (STP) & Noise Level Measurement Test for the month of March 2023

Dear Sir.

Please find enclosed herewith to this letter the reports for the month of March 2023 for the following test results:

Sl No.	Test Results	<u>Purpose</u>
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd

Authorised Signatory

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate Change

NE Regional Office, Lumbatngen, Shillong 793021 for information

(2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ. Shillong-793014

HILLS CEMENT COMPANY LIMITED



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/AA-03/01

: 10/04/2023 Date

Order No.: HCCL/HO/ENV/21-22/01

:08/04/2021

HILLS CEMENT COMPANY LIMITED Report Issued To:

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

Sl. No.	LOCATION(S)↓	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	SO ₂ (μg/m³)	NO ₂ (μg/m³)
	LIMIT(S) →	***	60	100	80	80
01	In-front of Guest House	17.03.2023	17.5	35.9	<5.0	<6.0
02	Near Crusher Area	18.03.2023	21.3	46.2	<5.0	<6.0
03	In- Front of Compressor House (Cement Mill)	18.03.2023	23.8	43.9	<5.0	<6.0
04	Near Mines	17.03.2023	19.4	37.1	<5.0	<6.0

Analysis Protocol: IS 5182



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE:

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/N-03/01

: 10/04/2023 Date

Order No.: HCCL/HO/ENV/21-22/01

:08/04/2021

HILLS CEMENT COMPANY LIMITED Report Issued To:

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

NOISE LEVEL MEASUREMENT RESULTS

		Date	Day	Time	Night Time		
Sl. No.	Location(s)	Of Measurement	L _{eq} (dB-A)	Limit (dB-A)	L _{eq} (dB-A)	Limit (dB-A)	
1	In-front of Guest House	17.03.2023	52.6	75	42.8	70	
2	Near Crusher Area	17.03.2023	69.3	75	65.7	70	
3	In- Front of Compressor House (Cement Mill)	18.03.2023	68.6	75	63.2	70	
4	Near Mines	18.03.2023	48.3	75	42.7	70	



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE:

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/SE-03/01

: 10/04/2023 Date

Order No.: HCCL/HO/ENV/21-22/01

:08/04/2021 Date

HILLS CEMENT COMPANY LIMITED Report Issued To:

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	HCCL/22-23/SE-03/01			
02	Date of Sampling		17.03.2023		
03	Material of Construction		M. S.		
04	Stack Attached To		R.A.B.H.		
05	Stack Diameter (Meter)		3.0		
06	Flue Gas Temperature (°C)	180			
07	Exit Velocity of Gas (m/sec)	17.2			
08	Flow Rate (Nm³/hr)	287964			
09	Type of Fuel Used	NA*			
	Analysis Resu	lts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	22	mg/Nm³	30	
ii.	Sulphur Dioxide (as SO ₂)	614 mg/Nm ³ 1000			
iii.	Oxides of Nitrogen (as NO _x)	363 mg/Nm³ 800			

^{*}NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

 $1. \, Results \, reported \, are \, valid \, at \, the \, time \, of \, and \, under \, the \, prevailing \, conditions \, of \, measurement.$ NOTE:

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/SE-03/02

: 10/04/2023 Date

Order No.: HCCL/HO/ENV/21-22/01

:08/04/2021

HILLS CEMENT COMPANY LIMITED Report Issued To:

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	01 Test Ref. No. HCCL/22-23/SE-03/02				
02	Date of Sampling		17.03.2023		
03	Material of Construction		M. S.		
04	Stack Attached To		Coal Mill	1177	
05	Stack Diameter (Meter)		1.2		
06	Flue Gas Temperature (°C)	53			
07	Exit Velocity of Gas (m/sec)	12.9			
08	Flow Rate (Nm³/hr)	48018			
09	Type of Fuel Used		Coal		
	Analysis Resul	lts of Flue Gas			
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)			
i.	Particulate Matter	21 mg/Nm³ 30			
ii.	Sulphur Dioxide (as SO ₂)	412 mg/Nm³ 1000			
iii.	Oxides of Nitrogen (as NO _x)	226	mg/Nm³	800	



Checked By: Mr. Pankaj Baroi, ENVIROCON

 $1. \ Results \ reported \ are \ valid \ at the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$ NOTE:

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



: 10/04/2023

Date

Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

ISO 9001:2015 Certified ISO 45001:2018 Certified

E-mail: envirocon@rediffmail.com

Order No.: HCCL/HO/ENV/21-22/01 Report No.: ENV/HCCL/22-23/SE-03/03

:08/04/2021 **Date**

HILLS CEMENT COMPANY LIMITED Report Issued To:

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	HCCL/22-23/SE-03/03			
02	Date of Sampling		18.03.2023		
03	Material of Construction		M. S.		
04	Stack Attached To		Cooler E.S.P.		
05	Stack Diameter (Meter)		2.8		
06	Flue Gas Temperature (°C)	219			
07	Exit Velocity of Gas (m/sec)	6.7			
08	Flow Rate (Nm³/hr)	91311			
09	Type of Fuel Used	NA*			
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)			
i.	Particulate Matter	28 mg/Nm³ 30			
ii.	Sulphur Dioxide (as SO ₂)	BDL# mg/Nm³ 1000			
iii.	Oxides of Nitrogen (as NO _x)	BDL# mg/Nm³ 800			

*NA: Not Applicable

#BDL: Below Detectable Limit



Checked By: Mr. Pankaj Baroi, ENVIROCON

1. Results reported are valid at the time of and under the prevailing conditions of measurement. NOTE:

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/WW-03/01

Date : 10/04/2023

Order No.: HCCL/HO/ENV/21-22/01

Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

WASTE WATER ANALYSIS RESULTS

Sample Ref. No. : HCCL/22-23/WW-3103/01
Sample Type/Source : Waste Water (Treated)/STP Outlet
Sample Collected By : Representative of ENVIROCON

Sample Collected On : 31.03.2023 Sample Received On : 03.04.2023 Analysis Protocol : IS 3025

Sl. No.	Parameter(s)	Unit(s)	Result(s)	Limit (As Per CPCB Standards)
1.	рН		6.91	5.5 - 9.0
2.	Temperature	оС	25.3	shall not exceed 5°C above the receiving water temperature
3.	Total Suspended Solids	mg/l	33	100
4.	Biochemical Oxygen Demand	mg/l	24	30
5.	Chemical Oxygen Demand	mg/l	93	250
6.	Oil & Grease	mg/l	<4.0	10
7.	Total Residual Chlorine	mg/l	<0.01	1.0
8.	Ammonical Nitrogen (as N)	mg/l	12.1	50
9.	Total Kjeldahl Nitrogen (as NH ₃)	mg/l	29	.100
10.	Free Ammonia (as NH ₃)	mg/l	<0.01	5.0



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/FE-03/01

Date : 10/04/2023

Order No.: HCCL/HO/ENV/21-22/01

Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

PROCESS FUGITIVE EMISSION TEST RESULTS

Date	Locations	Fugitive Emission Results for SPM (µg/m³)	Limits (μg/m³)
17.03.2023	Coal Storage Section	486	2000
17.03.2023	Lime Stone Storage Section	1851	5000
18.03.2023	Fly-ash Storage Section	2206	5000
18.03.2023	Cement Packing Section	2947	5000



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE:

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/WW-03/02 Order No.: HCCL/HO/ENV/21-22/01

Date :08/04/2021 : 10/04/2023 **Date**

HILLS CEMENT COMPANY LIMITED Report Issued To:

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

WASTE WATER ANALYSIS RESULTS

: HCCL/22-23/WW-3103/01 Sample Ref. No. Sample Type/Source : Waste Water (Treated)/ETP Outlet Sample Collected By : Representative of ENVIROCON

Sample Collected On : 31.03.2023 : 03.04.2023 Sample Received On **Analysis Protocol** : IS 3025

Sl. No.	Parameter(s)	Unit(s)	Result(s)	Limit (As Per G.S.R. 801(E), 31.12.1993)
1.	рН		6.91	5.5 - 9.0
2.	Temperature	0C.	23.8	shall not exceed 5°C above the receiving water temperature
3.	Total Suspended Solids	mg/l	33	100
4.	Biochemical Oxygen Demand	mg/l	26	30
5.	Chemical Oxygen Demand	mg/l	91	250
6.	Oil & Grease	mg/l	<4.0	10
7.	Total Residual Chlorine	mg/l	<0.01	1.0
8.	Ammonical Nitrogen (as N)	mg/l	4.6	50
9.	Total Kjeldahl Nitrogen (as NH ₃)	mg/l	12.8	100
10.	Free Ammonia (as NH ₃)	mg/l	<0.01	5.0



Checked By: Mr. Pankaj Baroi, ENVIROCON

1. Results reported are valid at the time of and under the prevailing conditions of measurement. NOTE:

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.