

Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/MSPCB/22-23/04

Date: 16/08/22

To.

✓ The Member Secretary,
Meghalaya State Pollution Control Board
ARDEN Lumpyngngad
Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Fugitive Emission, Waste Water Analysis (STP) & Noise Level Measurement Test for the month of July 2022

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of July~2022 for the following test results:

SI No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd

HILLS CEMENT CO. LTD.

Authorised Signatory
Authorised Signatory

Copy To: - The Joint Director (S), Ministry of Environment, Forest & Climate Change NE Regional Office, Lumbatngen, Shillong 793021 for information



Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/MSPCB/22-23/04

Date: 16/08/2022

To,
The Member Secretary,
Meghalaya State Pollution Control Board
ARDEN Lumpyngngad
Shillorg (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Fugitive Emission, Waste Water Analysis (STP) & Noise Level Measurement Test for the month of July 2022

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of July 2022 for the following test results:

SI No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd

HILLS CEMENT CO. LTD.

Authorised Signatory

Copy To: The Joint Director (S), Ministry of Environment, Forest & Climate Change

NE Regional Office, Lumbatngen, Shillong 793021 for information



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/AA-07/01

Date : 08/08/2022

Order No.: HCCL/HO/ENV/21-22/01

Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

Sl. No.	LOCATION(S)↓	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	SO ₂ (μg/m³)	NO ₂ (μg/m³)
	LIMIT(S) →		60	100	80	80
01	In-front of Guest House	17.07.2022	26.4	42.1	<5.0	<6.0
02	Near Crusher Area	17.07.2022	30.9	53.7	6.2	7.1
03	In- Front of Compressor House (Cement Mill)	18.07.2022	29.6	50.6	6.6	6.9
04	Near Mines	18.07.2022	27.5	48.3	<5.0	<6.0

Analysis Protocol: IS 5182



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/N-07/01

Date : 08/08/2022

Order No.: HCCL/HO/ENV/21-22/01

Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

NOISE LEVEL MEASUREMENT RESULTS

		Date	Day Time		Night Time	
Sl. No.	No. Location(s) Of Measurement		L _{eq} (dB-A)	Limit (dB-A)	L _{eq} (dB-A)	Limit (dB-A)
1	In-front of Guest House	17.07.2022	52.6	75	43.4	70
2	Near Crusher Area	17.07.2022	71.9	75	62.7	70
3	In- Front of Compressor House (Cement Mill)	18.07.2022	73.4	75	64.2	70
4	Near Mines	18.07.2022	50.2	75	40.7	70



Checked By: Mr. Pankaj Barol, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/SE-07/01

Date : 08/08/2022

Order No.: HCCL/HO/ENV/21-22/01

Date : 08/04/2021

Report Issued To: HIL

HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	HCCL/22-23/SE-07/01				
02	Date of Sampling		17.07.2022			
03	Material of Construction		M. S.			
04	Stack Attached To		R.A.B.H.			
05	Stack Diameter (Meter)		3.0			
06	Flue Gas Temperature (°C)		174			
07	Exit Velocity of Gas (m/sec)		13.9			
08	Flow Rate (Nm³/hr)		235839			
09	Type of Fuel Used		NA*			
	Analy	sis Results of Flue Gas				
Sl. No.	Parameter(s)	Result(s)	Result(s) Unit(s) Lin			
i.	Particulate Matter	21	mg/Nm³	30		
ii.	Sulphur Dioxide (as SO ₂)	654	mg/Nm³	1000		
iii.	Oxides of Nitrogen (as NO _x)	369	mg/Nm³	800		

*NA: Not Applicable



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/SE-07/02

Date : 08/08/2022

Order No.: HCCL/HO/ENV/21-22/01

Date : 08/04/2021

Report Issued To:

HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	H	HCCL/22-23/SE-07/02			
02	Date of Sampling		17.07.2022			
03	Material of Construction		M. S.			
04	Stack Attached To		Coal Mill			
05	Stack Diameter (Meter)		1.2			
06	Flue Gas Temperature (°C)		51			
07	Exit Velocity of Gas (m/sec)		11.6			
08	Flow Rate (Nm³/hr)		43445			
09	Type of Fuel Used		Coal			
	Analy	sis Results of Flue Gas				
SI. No.	Parameter(s)	Result(s)	Result(s) Unit(s) Li			
i,	Particulate Matter	17	17 mg/Nm ³			
II.	Sulphur Dioxide (as SO ₂)	501	501 mg/Nm ³ 100			
III.	Oxides of Nitrogen (as NO _x)	264	mg/Nm³	800		

Checked By: Mr. Pankaj Bardi, ENVIROCON

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/SE-07/03

:08/08/2022 Date

Order No.: HCCL/HO/ENV/21-22/01

:08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	Н	HCCL/22-23/SE-07/03			
02	Date of Sampling		18.07.2022			
03	Material of Construction		M. S.			
04	Stack Attached To		Cooler E.S.P.			
05	Stack Diameter (Meter)		2.8			
06	Flue Gas Temperature (°C)		216			
07	Exit Velocity of Gas (m/sec)		5.4			
08	Flow Rate (Nm³/hr)		83424			
09	Type of Fuel Used		NA*			
	Analy	sis Results of Flue Gas				
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s		
i.	Particulate Matter	25	25 mg/Nm³ 3			
ii.	Sulphur Dioxide (as SO ₂)	BDL*	BDL* mg/Nm³ 100			
111.	Oxides of Nitrogen (as NO _x)	BDL*	mg/Nm³	800		

*NA: Not Applicable

#BDL: Below Detectable Limit



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/22-23/WW-07/01

Date :08/08/2022 Order No.: HCCL/HO/ENV/21-22/01

: 08/04/2021 Date

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

WASTE WATER ANALYSIS RESULTS

Sample Ref. No.

: HCCL/22-23/WW-3107/01

Sample Type/Source

: Waste Water (Treated)/STP Outlet

Sample Collected By

: Representative of ENVIROCON

Sample Collected On

: 31.07.2022

Sample Received On

: 02.08.2022

Analysis Protocol

: IS 3025

SI. No.	Parameter(s)	Unit(s)	Result(s)	Limit (As Per CPCB Standards)
1.	рН		6.82	5.5 - 9.0
2.	Temperature	eC.	23.1	shall not exceed 5°C above the receiving water temperature
3.	Total Suspended Solids	mg/l	27	100
4.	Biochemical Oxygen Demand	mg/l	19	30
5.	Chemical Oxygen Demand	mg/l	85	250
6.	Oil & Grease	mg/l	<4.0	10
7.	Total Residual Chlorine	mg/l	<0.01	1.0
8.	Ammonical Nitrogen (as N)	mg/l	2.2	50
9.	Total Kjeldahl Nitrogen (as NH ₃)	mg/l	9.1	100
10.	Free Ammonia (as NH ₃)	mg/l	<0.01	5.0



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L. (AOD) New Market, Digboi 786171, Assam.