

Website: www.tajcement.com CIN: U26942ML2003PLC007295

Date: 17/11/2023

HCCL/MSPCB/23-24/016

Го,

The Member Secretary,

Meghalaya State Pollution Control Board

ARDEN Lumpyngngad

Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water
Analysis (STP) & Noise Level Measurement Test for the month of October, 2023

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of **October**, 2023 for the following test results:

SI No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd

Authorised Signatory

HILLS CEMENT COMPANY LTD.

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate

Change

NE Regional Office, Lumbatngen, Shillong 793021 for information

(2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

HILLS CEMENT COMPANY LIMITED



OL MOEFCC.

Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/MSPCB/23-24/017

Date: 17.11/20.2.3

To,
The Member Secretary,
Meghalaya State Pollution Control Board
ARDEN Lumpyngngad
Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water
Analysis (STP) & Noise Level Measurement Test for the month of October, 2023

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of October, 2023 for the following test results:

Sl No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd

Tyash Baid Authorised Signatory

HILLS CEMENT COMPANY LTD.

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate

Change

NE Regional Office, Lumbatngen, Shillong 793021 for information

(2) The Regional Director Regional Directorate (NE), Central Pollution Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014

manafield



OLC CPCB Zoshillong.cabenic.in

> Website: www.tajcement.com CIN: U26942ML2003PLC007295

HCCL/MSPCB/23-24/018

Date: 1711 2023

To. The Member Secretary, Meghalaya State Pollution Control Board ARDEN Lumpyngngad Shillong (Meghalaya) -793014

Subject: Reports on Ambient Air Quality test, Stack Emission test, Waste Water Analysis (STP) & Noise Level Measurement Test for the month of October, 2023

Dear Sir,

Please find enclosed herewith to this letter the reports for the month of October, 2023 for the following test results:

SI No.	Test Results	Purpose
1	Ambient Air Quality	-
2	Stack Emission	R.A.B.H
3	Stack Emission	Coal Mill
4	Stack Emission	Cooler E.S.P
5	Waste Water Analysis Result	STP Water Analysis
6	Noise Level Measurement Test	

Thanking you,

For Hills Cement Company Ltd

Authorised Signatory

Copy To: - (1) The Joint Director (S), Ministry of Environment, Forest & Climate

Change

NE Regional Office, Lumbatngen, Shillong 793021 for information (2) The Regional Director Regional Directorate (NE), Central Pollution

Control Board, TUM-SIR, Lower Motinagar, Near Fire Brigrade HQ, Shillong-793014



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/23-24/AA-10/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 04/11/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

Sl. No.	LOCATION(S) ↓	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	SO ₂ (μg/m³)	NO ₂ (μg/m³)
	LIMIT(S) →		60	100	80	80
01	In-front of Guest House	13.10.2023	25.3	53.7	<5.0	<6.0
02	Near Crusher Area	13.10.2023	35.8	57.4	7.9	8.9
03	In- Front of Compressor House (Cement Mill)	14.10.2023	37.2	55.1	7.4	8.1
04	Near Mines	14.10.2023	29.4	52.9	<5.0	<6.0

Analysis Protocol: IS 5182



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/23-24/N-10/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 04/11/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

NOISE LEVEL MEASUREMENT RESULTS

GL V		Date	Day '	Гіте	Night Time	
Sl. No.	Location(s)	Of Measurement	L _{eq} (dB-A)	Limit (dB-A)	L _{eq} (dB-A)	Limit (dB-A)
1	In-front of Guest House	13.10.2023	59.1	75	51.8	70
2	Near Crusher Area	13.10.2023	70.2	75	65.4	70
3	In- Front of Compressor House (Cement Mill)	14.10.2023	69.6	75	67.2	70
4	Near Mines	14.10.2023	61.7	75	55.7	70



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.$

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/23-24/SE-10/03

Date : 04/11/2023

Date : 08/04/2021

Order No.: HCCL/HO/ENV/21-22/01

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	HCCL/2023/SE-10/03			
02	Date of Sampling	14.10.2023			
03	Material of Construction	M. S.			
04	Stack Attached To		R.A.B.H.		
05	Stack Diameter (Meter)	3.0			
06	Flue Gas Temperature (°C)	173			
07	Exit Velocity of Gas (m/sec)	20.7			
08	Flow Rate (Nm³/hr)	352000			
09	Type of Fuel Used	NA*			
	Analysis Resul	lts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	24 mg/Nm³ 30			
ii.	Sulphur Dioxide (as SO ₂)	791 mg/Nm³ 1000			
iii.	Oxides of Nitrogen (as NO _x)	243 mg/Nm³ 800			

^{*}NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON

- $2. \ Results \, refer \, only \, to \, the \, particular \, parameters \, tested.$
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/23-24/SE-10/02 Order No.: HCCL/HO/ENV/21-22/01

Date : 04/11/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	HCCL/2023/SE-10/02			
02	Date of Sampling	13.10.2023			
03	Material of Construction		M. S.		
04	Stack Attached To		Coal Mill		
05	Stack Diameter (Meter)	1.2			
06	Flue Gas Temperature (°C)	53			
07	Exit Velocity of Gas (m/sec)	10.8			
08	Flow Rate (Nm³/hr)	40201			
09	Type of Fuel Used	Coal			
	Analysis Resul	lts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	22 mg/Nm ³ 30			
ii.	Sulphur Dioxide (as SO ₂)	587 mg/Nm ³ 1000			
iii.	Oxides of Nitrogen (as NO _x)	196	mg/Nm³	800	



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/23-24/SE-10/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 04/11/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	I	HCCL/2023/SE-10/0)1	
02	Date of Sampling	13.10.2023			
03	Material of Construction	M. S.			
04	Stack Attached To		Cooler E.S.P.		
05	Stack Diameter (Meter)	2.8			
06	Flue Gas Temperature (°C)	225			
07	Exit Velocity of Gas (m/sec)	9.2			
08	Flow Rate (Nm³/hr)	122050			
09	Type of Fuel Used	NA*			
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	23 mg/Nm³ 30			
ii.	Sulphur Dioxide (as SO ₂)	BDL# mg/Nm³ 1000			
iii.	Oxides of Nitrogen (as NO _x)	BDL# mg/Nm³ 800			

*NA: Not Applicable

#BDL: Below Detectable Limit



Checked By: Mr. Pankaj Baroi, ENVIROCON

- $2. \ Results \, refer \, only \, to \, the \, particular \, parameters \, tested.$
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/HCCL/23-24/WW-10/01 Order No.: HCCL/HO/ENV/21-22/01

Date : 04/11/2023 Date : 08/04/2021

Report Issued To: HILLS CEMENT COMPANY LIMITED

Village: Mynkree, 116 KM Stone, NH-44, Sub Division: Khliehriat, Dist.: Jaintia Hills, Meghalaya

WASTE WATER ANALYSIS RESULTS

Sample Ref. No. : HCCL/2023/WW-1510/01
Sample Type/Source : Waste Water (Treated)/STP Outlet
Sample Collected By : Representative of ENVIROCON

Sample Collected On : 15.10.2023 Sample Received On : 17.10.2023 Analysis Protocol : IS 3025

Sl. No.	Parameter(s)	Unit(s)	Result(s)	Limit (As Per CPCB Standards)
1.	pН		7.23	5.5 – 9.0
2.	Temperature	οС	26.3	shall not exceed 5°C above the receiving water temperature
3.	Total Suspended Solids	mg/l	33	100
4.	Biochemical Oxygen Demand	mg/l	21	30
5.	Chemical Oxygen Demand	mg/l	91	250
6.	Oil & Grease	mg/l	<4.0	10
7.	Total Residual Chlorine	mg/l	<0.01	1.0
8.	Ammonical Nitrogen (as N)	mg/l	2.8	50
9.	Total Kjeldahl Nitrogen (as NH ₃)	mg/l	9.7	100
10.	Free Ammonia (as NH ₃)	mg/l	<0.01	5.0



Checked By: Mr. Pankaj Baroi, ENVIROCON

- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.