



AMBIENT AIR QUALITY TEST RESULTS

M/s HILLS CEMENT COMPANY LIMITED Vill: Mynkree, 116 KM Stone, NH- 44 Sub Division: Khliehriat; Dist: Jaintia Hills

<u>Meghalaya</u>

(FEBRUARY-2017)

LOCATIONS	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	NO ₂ (μg/m³)	SO ₂ (μg/m³)
LIMITS		60 (24 hrs. Average)	100 (24 hrs. Average)	80 (24 hrs. Average)	80 (24 hrs. Average)
In- Front of Guest House	13.02.2017	33.9	70.1	ND	ND
Near Crusher Area	13.02.2017	50.1	77.5	11.7	9.7
In- Front of Compressor House (Cement Mill)	14.02.2017	44.6	72.3	9.6	8.2

Analysis Protocol: IS 5182

Checked By: Pankaj Baroi; ENVIROCON

NOTE:

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(FEBRUARY-2017)

01	Stack Emission Ref. No.	ENV/HCCL/01/FEB/2017
02	Date of Sampling	13.02.2017
03	Material of Construction	M.S.
04	Stack Attached To	B.F. of Crusher
05	Flue Gas Temperature (°C)	36
06	Exit Velocity of Gas (m/sec)	4.9
07	Flow Rate (Nm³/hr)	13,363
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	34.5



 $^{1. \} Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$

 $^{2. \} Results \ refer \ only \ to \ the \ particular \ parameters \ tested.$





M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(FEBRUARY-2017)

01	Stack Emission Ref. No.	ENV/HCCL/02/FEB/2017
02	Date of Sampling	13.02.2017
03	Material of Construction	M.S.
04	Stack Attached To	R.A.B.H
05	Flue Gas Temperature (°C)	179
06	Exit Velocity of Gas (m/sec)	13.8
07	Flow Rate (Nm³/hr)	2,31,552
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	30.7



 $^{1. \} Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$

 $^{2. \} Results \ refer \ only \ to \ the \ particular \ parameters \ tested.$

^{3.} This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi - 786171, Assam.





M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(FEBRUARY-2017)

01	Stack Emission Ref. No.	ENV/HCCL/03/FEB/2017
02	Date of Sampling	13.02.2017
03	Material of Construction	M.S
04	Stack Attached To	Coal Mill
05	Flue Gas Temperature (°C)	61
06	Exit Velocity of Gas (m/sec)	8.8
07	Flow Rate (Nm³/hr)	31,972
08	Type of Fuel Used	Coal
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	34.2



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(FEBRUARY-2017)

01	Stack Emission Ref. No.	ENV/HCCL/04/FEB/2017
02	Date of Sampling	14.02.2017
03	Material of Construction	M.S
04	Stack Attached To	Cooler E.S.P
05	Flue Gas Temperature (°C)	196
06	Exit Velocity of Gas (m/sec)	15.2
07	Flow Rate (Nm ³ /hr)	2,14,117
08	Type of Fuel Used	Coal
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	26.8



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(FEBRUARY-2017)

01	Stack Emission Ref. No.	ENV/HCCL/05/FEB/2017
02	Date of Sampling	14.02.2017
03	Material of Construction	M.S
04	Stack Attached To	Cement Mill
05	Flue Gas Temperature (°C)	63
06	Exit Velocity of Gas (m/sec)	8.6
07	Flow Rate (Nm³/hr)	31,059
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	35.4



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- 2. Results refer only to the particular parameters tested.
- $3.\ This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.$





M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(FEBRUARY-2017)

01	Stack Emission Ref. No.	ENV/HCCL/06/FEB/2017
02	Date of Sampling	14.02.2017
03	Material of Construction	M.S
04	Stack Attached To	Cement Packing House
05	Flue Gas Temperature (°C)	37
06	Exit Velocity of Gas (m/sec)	6.2
07	Flow Rate (Nm ³ /hr)	10,786
08	Type of Fuel Used	NA
09	Analysis Result of Flue Gas	
	1. Particulate Matter (mg/Nm³)	37.6



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





NOISE LEVEL MEASUREMENT RESULTS

M/s HILLS CEMENT COMPANY LIMITED

Vill: Mynkree, 116 KM Stone, NH- 44
Sub Division: Khliehriat; Dist: Jaintia Hills
<u>Meghalaya</u>

(FEBRUARY-2017)

Measurement Date: 13.02.2017

(Day Time)

Sl. No.	Location	Maximum (dB-A)	Minimum (dB-A)	L _{eq} (dB-A)
1	Near Kiln Area	76	70	74
2	Near CCR Building	74	66	71
3	Main Gate	73	67	70
4	Near Main Building	70	64	66

(Night Time)

Sl. No.	Location	Maximum (dB-A)	Minimum (dB-A)	L _{eq} (dB-A)
1	Near Kiln Area	69	62	65
2	Near CCR Building	66	60	63
3	Main Gate	64	58	60
4	Near Main Building	58	49	55



- $1. \ Results \ reported \ are \ valid \ at \ the \ time \ of \ and \ under \ the \ prevailing \ conditions \ of \ measurement.$
- $2. \ Results \ refer \ only \ to \ the \ particular \ parameters \ tested.$
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, Digboi Stores Building, New Market, Digboi 786171, Assam.





AMBIENT NOISE LEVEL STANDARDS

SCHEDULE

[Rule 3(1) and 4(1) of Noise Pollution (Regulation & Control) Rules, 2000]

Area Code	Category of Area/Zone	Limit in dB (A) in L _{eq}		
		Day Time	Night Time	
A	Industrial Area	75	70	
В	Commercial Area	65	55	
С	Residential Area	55	45	
D	Silence Zone	50	40	

<u>NB</u>:

Silence Zone is an area comprising an area not less than 100 m around Hospitals, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Specific SHE Standard: Workplace Noise

Ambient Noise Level	Personal Noise Exposure < 85 dB (A) Leq (8h)	Personal Noise Exposure => 85 dB (A) Leq (8h)
< 85 dB (A) Leq	No action required	PPE Mandatory
=> 85dB (A) Leq < 90 dB (A) Leq	Hearing protection zone. PPE Advisory.	Hearing protection zone. PPE Mandatory.
=> 90 dB (A) Leq	Hearing protection zone. PPE Mandatory.	Hearing protection zone. PPE Mandatory.
